

POD^{XT} LIVE

PRO GUITAR TONE ON THE FLOOR

PILOT'S HANDBOOK

An in-depth exploration of the revolutionary technologies and pulsing tonal pleasures that lurk within PODXT LIVE

**INCLUDES DETAILS ON VERSION 3 FEATURES.
USE FREE LINE 6 MONKEY TO MAKE SURE YOUR PODXT IS UP TO
DATE: WWW.LINE6.COM/MONKEY**

ElectroPhonic Limited Edition. Also available at www.line6.com. Revision C.

PODxt MODELS

PODxt, PODxt Live and PODxt Pro all include the Standard and Power Pack Models plus all guitar Cab Models. See www.line6.com/modelpack to learn about adding other Model Pack Models.

GUITAR AMPS & CABS

STANDARD & POWER PACK AMP MODELS

| # | Standard | Power Pack |
|-----|-----------------|-----------------------|
| 0 | BYPASS | |
| 1 | | TUBE PREAMP |
| 2 | | LINE 6 CLEAN |
| 3 | | LINE 6 JTS-45 |
| 4 | | LINE 6 CLASS A |
| 5 | | LINE 6 MOOD |
| 6 | | SPINAL PUPPET |
| 7 | LINE 6 CHEM X | |
| 8 | LINE 6 INSANE | |
| 9 | LINE 6 ACO 2 | |
| 10 | | ZEN MASTER |
| 11 | SMALL TWEED | |
| 12 | TWEED B-MAN | |
| 13 | | TINY TWEED |
| 14 | BLACKFACE LUX | |
| 15 | | DOUBLE VERB |
| 16 | | TWO-TONE |
| 17 | | HIWAY 100 |
| 18 | PLEXI 45 PP | |
| 19 | PLEXI LEAD 100 | |
| 20 | PLEXI JUMP LEAD | |
| 21 | | PLEXI VARIAC |
| 22 | BRIT J-800 | |
| 23 | | BRIT JM PRE |
| 24 | | MATCH CHIEF |
| 25 | | MATCH D-30 |
| 26 | TREADPLATE DUAL | |
| 27 | | CALI CRUNCH |
| 28 | JAZZ CLEAN | |
| 29 | SOLO 100 | |
| 30 | | SUPER O |
| 31 | | CLASS A-15 |
| 32 | CLASS A-30 TB | |
| 33 | | L6 AGRO |
| 33 | | L6 LUNATIC |
| 34 | L6 TREADPLATE | |
| 36 | | VARIAX ACOUSTIC |
| 101 | | CITRUS D-30 |
| 102 | | CLASS A-30 FAWN |
| 103 | | BRIT GAIN 18 |
| 104 | | J-2000 #2 |
| 105 | | LINE 6 BOUTIQUE |
| 106 | | LINE 6 MODERN GAIN #1 |

CAB MODELS

| # | Cab Model |
|----|-----------------|
| 0 | NO CAB |
| 1 | 1X6 SUPER O |
| 2 | 1X8 TWEED |
| 3 | 1X10 GIBTONE |
| 4 | 1X10 G-BRAND |
| 5 | 1X12 LINE 6 |
| 6 | 1X12 TWEED |
| 7 | 1X12 BLACKFACE |
| 8 | 1X12 CLASS A |
| 9 | 2X2 MINI T |
| 10 | 2X12 LINE 6 |
| 11 | 2X12 BLACKFACE |
| 12 | 2X12 MATCH |
| 13 | 2X12 JAZZ |
| 14 | 2X12 CLASS A |
| 15 | 4X10 LINE 6 |
| 16 | 4X10 TWEED |
| 17 | 4X12 LINE 6 |
| 18 | 4X12 GREEN 20'S |
| 19 | 4X12 GREEN 25'S |
| 20 | 4X12 BRIT T75 |
| 21 | 4X12 BRIT V30'S |
| 22 | 4X12 TREADPLATE |
| 23 | 1X15 THUNDER |
| 24 | 2X12 WISHBOOK |

METAL SHOP AMPS

| # | Amp Model |
|----|----------------|
| 37 | BOMBER UBER |
| 38 | CONOR 50 |
| 39 | DEITY LEAD |
| 40 | DEITY'S SON |
| 41 | ANGEL P-BALL |
| 42 | BRIT SLIVER |
| 43 | BRIT J-900 CLN |
| 44 | BRIT J-900 DST |
| 45 | BRIT J-2000 |
| 46 | DIAMOND PLATE |
| 47 | CRIMINAL |
| 48 | L6 BIG BOTTOM |
| 49 | L6 CHUNK CHUNK |
| 50 | L6 FUZZ |
| 51 | L6 OCTONE |
| 52 | L6 SMASH |
| 53 | L6 SPARKLE CLN |
| 54 | L6 THROTTLE |

COLLECTOR CLASSICS AMPS

| # | Amp Model |
|----|-----------------------|
| 55 | BOMBER X-TC |
| 56 | DEITY CRUNCH |
| 57 | BLACKFACE VIBRO |
| 58 | DOUBLE SHOW |
| 59 | SILVERFACE BASS |
| 60 | MINI DOUBLE |
| 61 | GIBTONE EXPO |
| 62 | BRIT BASS |
| 63 | BRIT MAJOR |
| 64 | SILVER TWELVE |
| 65 | SUPRO '62 THUNDERBOLT |
| 66 | L6 BAYOU |
| 67 | L6 CRUNCH |
| 68 | L6 PURGE |
| 69 | L6 SPARKLE |
| 70 | L6 SUPER CLN |
| 71 | L6 SUPERSPARK |
| 72 | L6 TWANG |

BASS AMPS & CABS

BASS EXPANSION AMPS

| # | Amp Model |
|-----|-----------------|
| 73 | TUBE PREAMP |
| 74 | L6 CLASSIC JAZZ |
| 75 | L6 BRIT INVADER |
| 76 | L6 SUPER THOR |
| 77 | L6 FRANKENSTEIN |
| 78 | L6 EBONY LUX |
| 79 | L6 DOPPELGANGER |
| 80 | SUB DUB |
| 81 | AMP 360 |
| 82 | JAGUER |
| 83 | ALCEMIST |
| 84 | ROCK CLASSIC |
| 85 | FLIP TOP |
| 86 | ADAM AND EVE |
| 87 | TWEED B-MAN |
| 88 | SILVERFACE BASS |
| 89 | DOUBLE SHOW |
| 90 | EIGHTIES |
| 91 | HIWAY 100 |
| 92 | HIWAY 200 |
| 93 | BRIT MAJOR |
| 94 | BRIT BASS |
| 95 | CALIFORNIA |
| 96 | JAZZ TONE |
| 97 | STADIUM |
| 98 | STUDIO TONE |
| 99 | MOTOR CITY |
| 100 | BRIT CLASS A100 |

BASS EXPANSION CABS

| # | Cab Model |
|----|-----------------|
| 25 | 1X12 BOUTIQUE |
| 26 | 1X12 MOTOR CITY |
| 27 | 1X15 FLIP TOP |
| 28 | 1X15 JAZZ TONE |
| 29 | 1X18 SESSION |
| 30 | 1X18 AMP 360 |
| 31 | 1X18 CALIFORNIA |
| 32 | 1X18+12 STADIUM |
| 33 | 2X10 MODERN UK |
| 34 | 2X15 DOUBLESHOW |
| 35 | 2X15 CALIFORNIA |
| 36 | 2X15 CLASS A |
| 37 | 4X10 LINE 6 |
| 38 | 4X10 TWEED |
| 39 | 4X10 ADAM EVE |
| 40 | 4X10 SILVERCONE |
| 41 | 4X10 SESSION |
| 42 | 4X12 HIWAY |
| 43 | 4X12 GREEN 20'S |
| 44 | 2X12 GREEN 25'S |
| 45 | 4X15 BIG BOY |
| 46 | 8X10 CLASSIC |

EFFECTS

STOMPS

| Standard | Power Pack | FX Junkie |
|--------------|----------------|-----------------|
| FACIAL FUZZ | | |
| FUZZ PI | | |
| SCREAMER | | |
| CLASSIC DIST | | |
| | OCTAVE FUZZ | |
| | BLUE COMP | |
| | RED COMP | |
| VETTA COMP | AUTO SWELL | |
| | AUTO WAH | |
| | | KILLER Z |
| | | TUBE DRIVE |
| | | VETTA JUICE |
| | | BOOST + EQ |
| | | BLUE COMP TREB |
| | | DINGO-TRON |
| | | CLEAN SWEEP |
| | | SEISMIK SYNTH |
| | | DOUBLE BASS |
| | | BUZZ WAVE |
| | | REZ SYNTH |
| | | SATURN 5 RING M |
| | | SYNTH ANALOG |
| | | SYNTH FX |
| | | SYNTH HARMONY |
| | | SYNTH LEAD |
| | | SYNTH STRING |
| | BASS OVERDRIVE | |
| | BRONZE MASTER | |
| | SUB OCTAVES | |
| | BENDER | |

REVERBS

| Standard | Power Pack | FX Junkie |
|-------------|---------------|-----------|
| STD SPRING | LUX SPRING | |
| | KING SPRING | |
| | SMALL ROOM | |
| | TILED ROOM | |
| BRITE ROOM | | |
| | DARK HALL | |
| MEDIUM HALL | LARGE HALL | |
| | RICH CHAMBER | |
| | CHAMBER | |
| CAVERNOUS | | |
| SLAP PLATE | VINTAGE PLATE | |
| | LARGE PLATE | |

MODS

| Standard | Power Pack | FX Junkie |
|-------------------|---------------|---------------|
| SINE CHORUS | ANALOG CHORUS | |
| LINE 6 FLANGER | JET FLANGER | |
| PHASER | U-VIBE | |
| OPTO TREM | BIAS TREM | |
| ROTARY DRUM +HORN | ROTARY DRUM | |
| | AUTO PAN | |
| | | ANALOG SQUARE |
| | | SQUARE CHORUS |
| | | EXPO CHORUS |
| | | RANDOM CHORUS |
| | | SQUARE FLANGE |
| | | EXPO FLANGE |
| | | LUMPY PHASE |
| | | HI-TALK |
| | | SWEEPER |
| | | POD PURPLE X |
| | | RANDOM S/H |
| | | TAPE EATER |
| | | WARBLE-MATIC |

DELAYS


| Standard | Power Pack | FX Junkie |
|---------------|--------------|--------------|
| ANALOG W/ MOD | ANALOG DELAY | |
| TUBE ECHO | MUTLI-HEAD | |
| | SWEEP ECHO | |
| DIGITAL DELAY | STEREO DELAY | |
| | PING PONG | |
| | REVERSE | |
| | | ECHO PLATTER |
| | | TAPE ECHO |
| | | LOW REZ |
| | | PHAZE EKO |
| | | BUBBLE ECHO |

WAHS

| Standard | Power Pack | FX Junkie |
|-----------|---------------|-----------|
| VETTA WAH | JEN FASSEL | |
| | WEEPER | |
| | CHROME | |
| | CHROME CUSTOM | |
| | THROATY | |
| | CONDUCTOR | |
| | COLORFUL | |

POD_{XT} LIVE CONTROLS & NAVIGATION REFERENCE

CONTROLS REFERENCE



NAVIGATION REFERENCE



- When EDIT, SAVE or TUNER is lit, "SELECT" selects from the pages listed below
- Otherwise, "SELECT" chooses Channel Memories



EDIT PAGES

- Amp Settings
- Amp Bypass Settings
- A.I.R. Settings
- Compressor and Gate Settings
- EQ Settings
- Stomp Select and Settings
- Stomp Settings (page 2 for some models)
- Modulation Select and Settings
- Modulation Settings (page 2)
- Delay Select and Settings
- Delay Settings (page 2)
- Reverb Select and Settings
- Reverb Settings (page 2)
- Wah Settings
- Volume Settings
- Switch Pedal, Effect Tweak and Tempo Settings



SAVE PAGES


- Save Sound to Channel Memory
- Custom Save Amp Model
- MIDI Dump



TUNER PAGES


- Tuner
- What are you connecting to?
- Display contrast
- MIDI/Variax
- POD_{XT} Live Software Version

SIGNAL FLOW & EFFECTS ROUTING OPTIONS



THE "WHAT ARE YOU CONNECTED TO?" EDIT PAGE (see text pages for PODXT Pro details)

STUDIO : DIRECT




Be sure to use TRS cables when you want to get +4dBu levels to the balanced inputs of a recorder, mixer or power amp.


Use your A.I.R. settings to get the right mic sound you're looking for! Choose from:

- MIC 157 ON AXIS
- MIC 257 OFF AXIS
- MIC 3421 DYNAMIC
- MIC 467 CONDENSER

LIVE : 4x12



LIVE : 2x12



Use the **VIBE** parameter to adjust the sound for your particular Live setup. Experiment with all the options, since different amp/cab combinations can give very different results, and you may get the best sound with an unusual combination of settings.

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names and descriptions are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development.

The serial number can be found on the underside of your PODXT LIVE. It's the number that begins with "(21)". Please note it here for future reference:

SERIAL NO: _____

WARNING: To reduce the risk of fire or electric shock, do not expose this appliance to rain or moisture.

CAUTION: To reduce the risk of fire or electric shock, do not remove screws. No user-serviceable parts inside. Refer servicing to qualified service personnel.

CAUTION: This equipment has been tested and found to comply with the limits for a Class B digital device pursuant to Part 15 of FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.



The lightning symbol within a triangle means "electrical caution!" It indicates the presence of information about operating voltage and potential risks of electrical shock.



The exclamation point within a triangle means "caution!" Please read the information next to all caution signs.

You should read these Important Safety Instructions Keep these instructions in a safe place

Before using your PODXT LIVE, carefully read the applicable items of these operating instructions and safety suggestions:



1. Obey all warnings on the PODXT LIVE and in this Pilot's Handbook.
2. Do not place near heat sources, such as radiators, heat registers, or appliances which produce heat.



3. Guard against objects or liquids entering the enclosure.
4. PODXT LIVE: Connect only to AC power outlets rated 100-120V or 230V 47-63Hz (depending on the voltage range of the included power supply).
5. Do not step on power cords. Do not place items on top of power cords so that they are pinched or leaned on. Pay particular attention to the cord at the plug end and the point where it connects to the PODXT LIVE.
6. Unplug your PODXT LIVE when not in use for extended periods of time.
7. Do not perform service operations beyond those described in the PODXT LIVE Pilot's Handbook. In the following circumstances, repairs should be performed only by qualified service personnel:
 - liquid is spilled into the unit
 - an object falls into the unit
 - the unit does not operate normally or changes in performance in a significant way
 - the unit is dropped or the enclosure is damaged
8. Prolonged listening at high volume levels may cause irreparable hearing loss and/or damage. Always be sure to practice "safe listening."



Please Note:

Line 6, POD, POD_{XT} LIVE, POD_{XT} Pro, Vetta, FBV, FBV Shortboard, FBV4, Amp Farm, Line 6 Edit and Custom Tone are trademarks of Line 6, Inc. All other product names, trademarks, and artists' names are the property of their respective owners, which are in no way associated or affiliated with Line 6. Product names, images, and artists' names are used solely to identify the products whose tones and sounds were studied during Line 6's sound model development for this product. The use of these products, trademarks, images, and artists' names does not imply any cooperation or endorsement.

CONTENTS

| | |
|---|------------|
| Quick Start Guide | 1•1 |
| <i>“Manual? I don’t need no stinking manual!”</i> | 1•1 |
| <i>Register now!</i> | 1•2 |
| <i>Go on-line and get more stuff!</i> | 1•2 |
| <i>Introduction</i> | 1•3 |
| <i>Welcome To PODxT LIVE....</i> | 1•3 |
| <i>Who is Line 6?</i> | 1•3 |
| <i>Modeling</i> | 1•4 |
| <i>Amp, Cab and Effect Models</i> | 1•5 |
| <i>And Away We Go....</i> | 1•7 |

| | |
|-----------------------------------|------------|
| Controls & Connections | 2•1 |
|-----------------------------------|------------|

| | |
|---|------------|
| Getting Set Up | 3•1 |
| <i>All Purpose Basics</i> | 3•1 |
| <i>Variax</i> | 3•2 |
| <i>On Stage</i> | 3•3 |
| <i>What are you connecting to?</i> | 3•3 |
| <i>Getting The Right Tone With An Amp.</i> | 3•4 |
| <i>External Stomp Boxes and PODxT LIVE.</i> | 3•6 |
| <i>What are you connecting to?</i> | 3•7 |
| <i>The Ins and Outs of Great Tone</i> | 3•7 |
| <i>Setting Levels</i> | 3•8 |
| <i>Radiation Alert</i> | 3•8 |

| | |
|---|-------------|
| MIDI Mania | 3•9 |
| Re-Amping | 3•9 |
| What is Re-Amping? | 3•9 |
| Re-Amping via USB. | 3•9 |
| <hr/> | |
| Creating & Storing Sounds | 4•1 |
| Recalling Channel Memories | 4•1 |
| Editing Basics | 4•1 |
| Double Press for Easy Access | 4•2 |
| Inside the Edit Menu. | 4•2 |
| Amp knob settings | 4•2 |
| Amp Bypass Channel Volume | 4•3 |
| Cabinet and Mic settings (There's magic in the A.I.R.!) | 4•3 |
| Comp/Gate settings. | 4•4 |
| EQ settings. | 4•4 |
| Stomp settings | 4•5 |
| Mod and Delay settings | 4•6 |
| Config. | 4•6 |
| Setting your Tone to Tempo. | 4•7 |
| Reverb settings | 4•8 |
| Wah Settings | 4•8 |
| Volume Settings | 4•8 |
| Saving Yourself | 4•13 |
| Saving a Channel Memory | 4•13 |
| Custom Saving Amp Models. | 4•14 |
| MIDI Dumps | 4•15 |

| | |
|---|------------|
| Modeled Amps & Cabs | 5•1 |
| <i>Which Amps and Cabs Are Modeled?</i> | 5•1 |
| <i>Cabinet Models</i> | 5•34 |
| <hr/> | |
| Effect Model Details | 6•1 |
| <i>Comp</i> | 6•1 |
| <i>Gate</i> | 6•2 |
| <i>The Stomp Effects: Fuzz, Distortion, Overdrive</i> | 6•3 |
| <i>Stomp Effects: Compressors</i> | 6•9 |
| | 6•14 |
| <i>The Stomp Effects: Synths and Filters</i> | 6•15 |
| <i>The Wah Pedals</i> | 6•18 |
| <i>The Modulation Effects</i> | 6•20 |
| <i>The Delay Effects</i> | 6•30 |
| <i>Reverb</i> | 6•39 |
| <hr/> | |
| MIDI | 7•1 |
| <i>MIDI Basics</i> | 7•1 |
| <i>What's MIDI?</i> | 7•1 |
| <i>In/Out</i> | 7•1 |
| <i>MIDI Channel</i> | 7•2 |
| <i>MIDI Messages</i> | 7•3 |
| <i>Backing Up PODxT LIVE Programs to Other Devices</i> | 7•4 |
| <i>Other Things You Can Do with MIDI</i> | 7•6 |
| <i>Changing PODxT LIVE Channels with MIDI Program Changes</i> | 7•6 |
| <i>Tweaking PODxT LIVE Tones with MIDI Controllers</i> | 7•6 |
| <i>Full MIDI Automation of PODxT LIVE</i> | 7•6 |

| | |
|---|------------|
| <i>MIDI Setup Trouble-shooting</i> | <i>7•7</i> |
| <hr/> | |
| Appendix A: Amp Models | 8•1 |
| <hr/> | |
| Appendix B: MIDI Program Changes | 8•3 |
| <hr/> | |
| Appendix C: PODxt MIDI Controls | 8•4 |
| <hr/> | |
| Appendix D: Note Value Controller Values | 8•7 |

QUICK START GUIDE

OR:

“Manual? I don’t need no stinking *manual!*”

1. On the rear panel, turn the small **OUTPUT LEVEL** knob all the way down to zero, flip the switch to the amp position if you’re plugging into an amp, or the line position if you’re plugging into line level equipment such as a recorder or mixer, or using only headphones.
2. Connect the **LEFT** and **RIGHT OUTPUTS** to your recorder or mixer’s inputs, or plug the left output into your guitar amp’s input. Or connect headphones to the **PHONES** jack on your PODxt LIVE for silent jamming.
3. Connect the included power pack to your PODxt LIVE, and plug the other end into a power jack.
4. Connect your guitar to PODxt LIVE’s **INPUT**. Flip the switch there to **NORM** for most guitars or **Pad** for extra-hot-output pickups.
5. Got a Variax guitar? Connect it to the PODxt Live’s rear panel Variax jack, using only Line 6-supplied Variax cables. See Variax on page 3•2.
6. Flip the rear panel **POWER** switch to fire up.
7. Press the **OUTPUT MODE/SYSTEM** button. Press the button below **DEST** (Destination), then turn the **EFFECT TWEAK** knob to tell your PODxt Live what you’re connecting to. This setting will be overridden when you plug in headphones, so you don’t have to do anything to get great headphone sound.
8. Turn up the rear panel **OUTPUT LEVEL** knob so you can hear PODxt Live’s output, but don’t turn up so high that you’re overdriving the input of whatever you’re plugging into.
9. Turn the **SELECT** knob to choose from preset sounds, organized in 32 Banks of 4 Channels, with Channels labeled A, B, C, D. Banks 1-8 are great for use with headphones, mixers and recorders. Banks 9-16 are designed for in front of an amp. Banks 17-32 are ready to fill with your own sounds, or ones you download from the Line 6 web site. With the **EDIT** button NOT lit, press the left button under the display for “**MANUAL** Override,” where-the-knobs-are-is-how-it-sounds operation.
10. Step on the **AMP**, **STOMP**, **MOD**, or **DELAY** switches to turn those parts of your sound on/off. Turn the knobs to further adjust. **CHAN VOL** adjusts the volume of this Channel Memory relative to the others.

Now before you run off, please give the page a quick flip and....

Register now!

1•2

Included in this manual is a handy, postage-paid card for you to send back to us to register your purchase. It's **very important** that you fill that registration card out **right now** and drop it in the mail, or jump on the Internet and register at www.line6.com. Registering insures that you're dialed in for warranty service (warranty info is at the end of this manual) and insures we can contact you if new software versions or other cool enhancements are offered — cutting edge technology and such.

Go on-line and get more stuff!

Here at Line 6, our mission is to help you be more creative by bringing you powerful new technologies. As part of that mission, we focus great effort on making the Internet a valuable resource for every one of our customers. The Line 6 web site is one of the most effective ways for us to deliver you what you need to make you and your PODXT LIVE ever more powerful.

Connect to **www.line6.com** to check out **Custom Tone**—a truly massive, free, exclusive-to-Line-6 online tone library that gives you instant access to the signature sounds of the greatest guitarists, bands, songs and gear of all time. It integrates with the free **Line 6 Edit** software that lets you edit your PODXT LIVE's sounds, and save copies of them on your computer. Our web site is also the place to download our **GuitarPort** software and USB driver software, all free for your PODXT LIVE. You can even add more Models to your PODXT LIVE (see **www.line6.com/modelpacks** for the details on that). And to make it easy to get all this cool, computer-related stuff, look for the handy **Line 6 Monkey** utility, downloadable from our web site, which will check for and install the latest versions of everything for you! Visit the discussion boards to learn tips & tricks, trade advice, and generally hang out and get POD-a-licious with the whole extended family of PODXT LIVE users. Use the Support pages to get answers to your technical questions and contact our customer service experts. Or grab electronic versions of this book and other documentation, learn what your favorite artists are doing with Line 6 gear, and see the latest products we're introducing for you.

Not on the Internet yet? This may be the time to make the big jump, and thereby ensure that you will get all the great resources we can offer for you and your PODXT LIVE.

Introduction

Welcome To PODXT LIVE...

Thank you for inviting PODXT LIVE into your life. Whether you use your PODXT LIVE as the ultimate multi-effect pedal, a direct recording miracle, a powerhouse preamp, a practice partner, or as a creative digital signal processing tool (and heck, why should it be just one of these?) — we think you'll agree that PODXT LIVE is about the most amazing thing to happen to the electric guitar since, well, since the guitar amplifier itself! PODXT LIVE delivers the incredible tones of the acclaimed Line 6 Point-to-Point Interactive modeling technology (as featured in our Vetta series amps) and fuses it with the wonderfully portable and easy to use POD, which has been the guitar recording world standard for years. So you've got the tonal heritage of the past century of guitar amplifier and stomp box design, *plus* no-compromise recording and direct sound excellence — all ready to roll when you are.

Who is Line 6?

As you may know, Line 6 first came on the scene several years back with a new kind of guitar amplifier — the first to put digital software modeling technology to work in a combo amp for guitarists. We also knew then that guitarists need great amp tone when recording, but generally don't have the room to crank up that classic stack, or the money to hire a team of ace engineers to get it to tape. So we squashed our patented modeling technology down into a small, kidney-bean-shaped wonder called POD, and forever changed the world of guitar recording.

Once we'd gotten this whole modeling amp and POD thing started, it was time to see what we could do if we really cranked up the horsepower and took our modeling to the next level. I mean, once you've climbed to the top of the mountain, it's on to the next mountain, right? So, eyes glowing like power tubes, we stocked up on the Pepsi, gathered our genius engineers into a secret lab, fired up our extensive collection of amplifiers and stomp boxes... and spirited their treasured tones into a newly-supercharged modeling technology we dubbed Point-to-Point modeling. It first hit the streets in the award-winning Vetta amp, whose superb tone and unparalleled selection of dream amps, cabinets and effects make it a pretty good contender for the world heavyweight amp title. After that, we poured the same magic elixir into the classic POD and—ta-dah!—PODXT LIVE was born. It's now available in the original bean shape, a rack mount, and the floor unit that you are enjoying.

How does PODXT LIVE help you create a guitar tone that is out of this world, and then get that tone wherever you need it? Easy! It's...

Modeling

Modeling: just what is it, and why is it so important?

To answer that question, we'll start with tubes (better known as “valves” to our friends in England and elsewhere). Tubes, we can all agree, are the heart and soul of pretty much every legendary guitar amp, and are key to the warm, harmonic-rich tone quality of those amps. Solid state devices (transistors) are simply unable to duplicate tube warmth and performance. And “hybrids” — a tube in a circuit along with a bunch of transistors — are really a vain attempt at warming up a transistor-based tone. They fall short in any comparison to a 100% tube circuit. So that's it — tubes or nothin', right? Well, not any more....

You see, Line 6's team of crack engineer-guitarists has spent years understanding pretty much everything there is to know about tube-powered gear, including exactly how different types of tubes respond under various conditions typical of guitar amplifier design. How tubes process an input signal, how the signal is colored and shaped, at what point it begins to distort, the quality and characteristic of the distortion, what happens when the signal gets to other parts of the system — complicated stuff, but all analyzable as electronic data. A guitar pickup output, after all, is an electronic signal, and tubes and all the rest are really just a complex form of signal processing.

Having sussed it all out, the Line 6 engineers translated all this arcane knowledge into software that simulates the signal processing of guitar amps' tubes and other electronics, entirely within the digital domain. Cool, huh? The Line 6 crew also directed their caffeine-enhanced modeling attention to a study of guitar speaker cabinets and the important part they play in communicating great guitar tone. And the great variety of stomp box and rack effects that guitarists use to juice things up. They translated it all into yet more powerful software, and it's this revolutionary DSP (Digital Signal Processing) software-based modeling technology that gives Line 6 the power to create super silicon-based life forms like PODXT LIVE.

Amp, Cab and Effect Models

The tone and technology know-how of Line 6 thus comes to you as *Amp*, *Cab* and *Effect Models* based on a collection of gear recognized by guitarists the world over as true “tone classics.” These models were tweaked through careful, scientific A/B comparisons to the gear that inspired them, with an ear open for the effects of different volume levels and settings of the originals’ tone and gain controls. The gain and equalization characteristics of the modeled gear were carefully measured so that changes to knobs on the models would mirror the effects of these changes on the originals as closely as possible. We’re talkin’ major attention to detail here. Tone control center frequencies, slopes, and cut/boost range were painstakingly analyzed, in addition to a whole host of factors unique to each piece of gear. Not only that, but since many classic amps and effects have highly interactive circuits, we paid careful attention to the way that the setting of one knob changes the way that another knob may behave. All in an effort to make our Models as much like the amps, cabs and effects in our collection as possible. The resulting Amp, Cab and Effect Models are the foundation of PODXT LIVE.

Now, then — here are a couple of things we want to be completely crystal clear on:

- 1. The Line 6 modeling process is a patented, 100% digital software-based technology exclusive to Line 6.**
- 2. Line 6 Modeling is not sampling, nor is it solid state; no special guitar, pickup, or cabling is needed.**

There’s Magic in the A.I.R.

For recording and direct feed to a mixer, PA system or headphones, PODXT LIVE delivers its modeling tones through another innovation: Line 6’s A.I.R. direct recording output. The A.I.R. (acoustically integrated recording) technology is the result of intensive research and careful study of the tonal characteristics produced by the interaction of amplifiers, cabinets, speakers, microphones and the recording room during the recording process.

The direct output of many preamps, amplifiers and direct box-style amp replacements available today offer some limited form of cabinet simulation or speaker emulation. Those that happen to be more than simple high end roll-offs have little or no control options. Generic cabinet simulations cannot reproduce the markedly different tones resulting from the choice of speakers, wood, and other details of a great real-life speaker cabinet. Other equipment also fails to reproduce the significant tonal contribution of

microphone selection and placement, and do nothing to reproduce the subtle ambience of the recording space.

The result is the familiar dissatisfaction with direct recording products — even those that deliver a reasonably usable basic tone fail to reproduce the “life” of the guitar sound, and destroy the proper feel in the process. It is as if your guitar strings became heavier and less responsive, like they just went up a couple of gauges when you plugged into your direct box. And your sound lost its life.

PODXT LIVE’s combination of Amp Models and A.I.R. technology provides superior direct tones by recreating all the elements contributing to a great recorded guitar sound, and giving you that tone with the same feel as playing through a real amp and speaker cabinet:

- The effect of the guitar amplifier circuit is emulated by the Amp Model you choose. Each model was developed from extensive study of a classic amplifier treasured as a tone classic.
- In a guitar amp, once the guitar signal passes through the electronics, it is output to one or more speakers in a speaker cabinet. The specific design of the speakers, how many there are, and how they are arranged contributes significantly to your guitar tone, as does the construction and resulting tone of the wood box itself. A Marshall head driving a single 12-inch speaker in an open-back cabinet, for instance, will sound dramatically different from the same head driving a 4x12 closed-back cabinet. Line 6 has carefully constructed virtual software speaker cabinets that emulate the contribution made by real speaker cabinets to get great guitar sound.
- Once the sound makes it out of the speaker cabinet, the next important link in the recording system is the microphone that receives that sound. Guitar recordists select different microphones, and arrange them in different placements, to get particular sounds. A microphone pointing directly into the cone of a speaker will hear something different than one positioned off-axis. Line 6 carefully analyzed the coloring that various microphones add to the guitar sound, as well as the effects of different mic placement techniques, and gave you control of these details in your PODXT LIVE.
- The guitar amp, cabinet, and microphone don’t just sit in empty space. The room that they are in contributes importantly to the guitar sound you will record. Reverb can be used to capture the basic character of the space, simulating the effect of the sound reflecting off the room’s walls, floors and ceiling. But there are other subtle details that have more to do with the “spread” of the sound as it passes through the air

between the speaker and microphone. This final component is the key to the sense that the listener is in one position in the room, and the guitar sound is in another position, and that the two are separated by a mass of air that sound spreads through to reach the listener.

All of these important sound-shaping components are accounted for in your PODXT LIVE. Turn the Amp Model knob to call up the amplifier emulation you want. PODXT LIVE automatically matches that amplifier with an appropriate cabinet and microphone setup, and gives you the sound of that setup coming through the air of a recording space. Turn the reverb knob to taste, and start recording incredible mic'd up sound. Press a button and twiddle a knob or two, and you can switch cabinets, change out mics and their placement, and adjust the “spread” of the sound in your virtual room as well.

The A.I.R. direct recording output is exclusive to Line 6. In combination with the Line 6 Amp, Cab and Effect Models, it is the key to PODXT LIVE's phenomenally satisfying direct recording sound.

And Away We Go....

So, now that you know what's in store, it's time to experience PODXT LIVE for yourself. Grab your favorite axe, plug in, and flip back to the handy **Quick Start Guide** on the first page of this chapter if you haven't already been through that. Then fold out the back cover and follow me, my friend, for the PODXT LIVE Grand Tour....

CONTROLS & CONNECTIONS

Now would be a good time to turn to the nifty back cover of this manual and notice that it folds out. Ooh, pretty pictures! The idea is to have this essential pictorial reference always opened out while you're thumbing through the manual. It's also got all the essential details for quickly getting around on your PODXT LIVE. The boxed numbers that pop up throughout this manual correspond to the numbers on the foldout's illustrations. The back side of the cover's got handy pictures for the FBV and FBV Shortboard foot controllers, plus signal flow and connection guides.

1 Power Switch - Flip this to bring your PODXT LIVE to life. **Use only the included PX-2** power pack to supply power to your PODXT LIVE.

2 USB - PODXT LIVE's USB jack lets you connect it directly to most computers, and record your PODXT LIVE directly to a wide variety of popular recording software. We've included a USB cable for use with our GuitarPort Windows software, Line 6 Edit software for Mac OS X and Windows, our Custom Tone online tone library, and PODXT LIVE driver software. All this software—along with directions for using it—is free for you to download at **www.line6.com**.

3 Variax - Connect a Line 6 Variax guitar here, and experience a whole new world of possibility and sound-control power. In addition to a direct digital audio connection between the guitar and PODXT LIVE, you can even have the Variax change sounds each time you choose a new Channel Memory from your PODXT LIVE's footswitches or Select knob. You can learn more about the Variax family of guitars — each one giving you the sound of an entire guitar collection in one instrument — at the Line 6 website. **Be sure to keep the protective plastic cap on this connection when it's not connected to a Variax, so you won't damage it by mistakenly inserting a 1/4-inch guitar cable or other connection. When you are ready to connect a Variax, use only Line 6 supplied Variax-compatible cables — not standard Ethernet or other cables — to avoid damage to the jack.**

4 MIDI In & Out - Connect PODXT LIVE to your MIDI equipment to select Channel Memories (via Program Change messages), or automate PODXT LIVE settings (via controllers and/or SySex). You can also use MIDI (or USB) to communicate with the free Line 6 Edit software downloadable from www.line6.com. The PODXT LIVE **MIDI OUT** connects to another device's **MIDI IN**; its **MIDI IN** goes to another device's **MIDI OUT**. Please also see Chapter 7, **Deep Editing and MIDI Control**, to setup your MIDI gear with PODXT LIVE and find out what MIDI can do for PODXT LIVE and you.

5 Phones - Plug your headphones in here for silent concertos. The volume is set by the **OUTPUT LEVEL** **6** knob. Any time you use headphones, it important to be sure they're not set for ridiculous volume before your slap them on your ears. Try an **OUTPUT** knob setting of about 10 o'clock when first putting the headphones on, then turn up from there if you need more volume.

So that you hear appropriate sound through the headphones, PODXT LIVE automatically switches to Studio Mode whenever headphones are connected (for more on Studio Mode, see “What are you connecting to?” on page **3•7**).

A quick note about headphones: Earbuds and headphones designed for use with portable MP3 players and tape players are very low impedance as well as not very accurate in frequency response. This makes them not suitable for use with PODXT LIVE. We recommend a pair of 150-600 ohm pro or semi-pro level studio headphones for best results.

6 Output to Amp/Line- The unbalanced 1/4-inch connectors here get your PODXT LIVE's sound to a guitar amplifier, recorder, mixer or PA system. Flick the rear panel switch to **AMP** when you've got your PODXT LIVE feeding into the front of a guitar amp, and otherwise choose **LINE**. The rear panel **LEVEL** knob sets the — you guessed it! — output level. Changing the **OUTPUT** level does not change your tone, so you can get the tone you want at any volume level. This setting is not saved when you store settings into one of the PODXT LIVE's memory locations.

When running into a guitar amp, you'll want to avoid setting the **LEVEL** knob so high that you're overdriving the front end of your amp. Try turning any drive-type control on your amp low so that it's not adding more “dirt” to your sound, and compare the PODXT LIVE sound on headphones to the sound coming from your amp to be sure the sound from the amp isn't getting too crunchy because you're feeding it too much level from the PODxt. The tone from the headphones and from the amp will of course sound different, depending on the “color” that your amp adds. You just want to make sure that you're not getting extra distortion degrading your sound and preventing you from achieving the tones you

want with your PODxt-Live-and-amp-setup.

When running into line level gear (like recorders, mixers and PA's) PODXT LIVE will give the best signal-to-noise performance when you have the **OUTPUT** control at max. With the **OUTPUT** control turned down low, you may get extra hiss—which obviously ain't what you want—if you turn up your mixer or recorder's output to compensate. In order to allow you to set the **OUTPUT** as high as possible when connecting to recording, mixing, and other studio gear, **be sure you are plugging PODxt Live's outputs into line level, not microphone or guitar level inputs.** Line level inputs should allow you to set PODXT LIVE's amp/line switch to **LINE**, then turn PODxt's **OUTPUT** up all the way (or close to it) and thereby get the best sound possible. If your gear has inputs that function as mic/line level inputs, try to set the trim for those inputs to the minimum level, and PODxt's **OUTPUT** to maximum, when setting levels.

7 Aux Input - Connect a CD player, MP3 player, drum machine or other device here, and you'll hear it at PODXT LIVE's headphone and Amp/Line outputs. Very handy for jamming along! Use the output volume control on the connected device to set its level. *This aux input signal will NOT be fed to the USB digital audio output.*

8 Input - Plug your guitar in here. (You techies will want to know this is a mono, un-balanced connection.) Set the switch to norm for use with most guitars. The pad position may work better with guitar pickups that have particularly high output levels, to prevent them from overdriving the front end of your PODXT LIVE in an unpleasant-sounding way.

9 Pedal - Connect a standard expression pedal, such as the Line 6 EX-1, and you'll be able to assign it to control the Volume Pedal or Effect Tweak **12** functions. See page **4•9** for the detail on that.

10 Select - The PODXT LIVE has 128 Channel Memories. They are arranged in 32 banks of four channels each. (The four are called A, B, C, and D.) You can think of each bank as a sort of virtual four-channel guitar amp.

The first 32 Channel Memories (Banks 1-8) store a variety of complete amp-and-effect selections pre-programmed by the tone mavens at Line 6 to sound great when feeding a recorder, mixer, PA or headphones. The second 32 (Banks 9-16) are designed to run in front of a guitar amp. The next 16 (Banks 17-20) are specifically set up to use with the Line 6 Variax modeling guitar, which fully integrates with the PODxt Live (see the section on using with a Variax in Chapter 3 for more detail). The last 48 (Banks 21-32) are left for your own creations — or you can load them up with one of the thousands of great

tones you'll find at customtone.com for transfer to your PODxt Live using the Line 6 Edit or GuitarPort software that you can download for free from the Line 6 web site.

You load PODXT LIVE channels by turning the **SELECT** knob (or stepping on the **BANK UP/DOWN** and **A, B, C, D** switches described later in this chapter). Note: When recalling a channel, you may have left the physical **BASS** knob at minimum, whereas the just-recalled channel has this control set to max. To change **BASS** (or anything else), just grab the knob you want and tweak.

To leave the Channel Memory world and enter Manual operation, step on the **A, B, C** or **D** footswitch **21** and hold it for 2 seconds. In this mode, PODXT LIVE's display will show "Manual Mode" in place of the Channel Memory name, and the physical positions of the **AMP TONE CONTROLS** **13** and **CHANNEL VOLUME** **14** knobs will determine your sound.

When the **EDIT**, **SAVE** or **OUTPUT MODE/SYSTEM** button is lit, the **SELECT** knob selects from the available display pages. When you press **EDIT**, it selects pages of amp, effect and channel parameters; when you press **OUTPUT MODE/SYSTEM**, it takes you through all of the Tuner and system-wide settings. When **SAVE** is lit, you'll find amp and effect customization features as well as MIDI dump operations. The vertical "scroll bar" on the left side of each display page shows you where you are in that group of pages..

11 Displays - The left of these displays always shows the bank number and channel letter of the currently selected Channel Memory. The right of these displays, PODXT LIVE's LCD (*liquid crystal display*), is your window into every parameter and setting available. Here's how to get around that right display:

1. When the **SAVE**, **EDIT** and **OUTPUT MODE/SYSTEM** buttons are NOT lit, the display shows you the name of the selected Channel Memory, and the Amp Model that it uses. (And lets you use the Soft Buttons as described in **17**.)
2. When the **SAVE**, **EDIT** or **OUTPUT MODE/SYSTEM** button IS lit, a scroll bar on the left side of PODxt's display shows you where you are in the available display "pages." Press one of these buttons to see the scroll bar now. For those that really need to get all the nerdy details, each dot in that bar represents a page. As you turn the **SELECT** knob, you move through the pages and so does the little square. When you're on the first page, the little square is at the top. When you get to the last page, the square's at the bottom. Square goes up, square goes down. Square goes up, square goes down. Fun for the whole family!

3. Each page typically has words that appear in the bottom of the display. These words label things you can adjust. Press the button below the thing you want to adjust, then turn the Effect Tweak knob to do your adjusting. Here's more detail

12 Effect Tweak - When the Edit, Output Mode/System, and Save buttons AREN'T lit, this knob varies some aspect of the sound the PODXT LIVE is currently running. Turn it up and the effect will generally go deeper, louder, faster, longer or just plain more. You'll know what you're tweakin' because a window will pop up on PODXT LIVE's display to show you. (if you're looking for the way to set the delay time, note that this is usually set by the **TAP** button). For the inside scoop, including how you can customize the **EFFECT TWEAK** knob see Chapter 4, **Creating & Storing Sounds**. If the effect that **EFFECT TWEAK** is "targeting" is off, then, big surprise, **EFFECT TWEAK** won't change anything.



While the **EDIT** or **TUNE/SYSTEM** button is lit, the **EFFECT TWEAK** knob adjusts parameter values instead of tweaking your effect.

13 Amp Tone Controls - DRIVE, BASS, MIDDLE, TREBLE, PRESENCE. These control the tone of the Amp Modeling that you have selected. (The **AMP** footswitch determines whether the Amp Modeling is on or off; if it's off, you of course won't hear any changes as you adjust these knobs.) The **DRIVE** knob controls how hard you're driving the input of the chosen Amp Model. Like the input volume control on a non-master volume guitar amp, higher settings give you more "dirt." The exact response and interactivity of this and the rest of the Amp Tone Controls will vary from Amp Model to Amp Model, to mimic the tone controls of the original amp that inspired the Amp Model you've selected. See **Chapter 5** for details on specific Amp Models..


14 Chan Vol - This knob controls the relative volume level of the "channel" you are playing through — thus, **CHANNEL VOLUME**. Use this to balance levels between the sounds you store in two different PODXT LIVE Channel Memories (say between your rhythm and lead tones). In general, you want to set the **CHAN VOL** as high as possible to insure you're getting the best signal-to-noise ratio performance — but back off on this control if you're seeing CLIP in PODXT LIVE's display.

TIP: You probably want to have all of your favorite sounds as loud as possible, while also having the right difference in volume between your lead and rhythm sounds, clean and dirty sounds, etc. Right? OK, then, to get this happy balance, start with your favorite 'clean' sounds. Turn up their Chan Vol as high as you can without getting the CLIP indicator in PODXT LIVE's display when you strum hard.

and save them that way. Then switch amongst them to see if some are too loud, and turn them down a bit to match well with the others. Next, move on to select your ‘dirtier’ crunch and lead tones, comparing them to the clean sounds and saving them with lower Chan Vol settings to match well with those clean sounds. Now, each time you use your PODXT LIVE, you just have to set an Output volume level you like, and you can switch amongst your various sounds without unhappy volume differences.

Another little Channel Volume detail: unlike the **AMP TONE CONTROLS** , this knob works whether your Amp Model is on or off. PODXT LIVE actually stores two separate Channel Volume settings — one for the Amp-on state , and one for Amp-off. So you can balance the volume difference between these two if needed, as well as balance the volumes between any two Channel Memories regardless of whether they happen to use Amp Modeling or not.

15 Save - When you want to store your own tweaked-up sounds in your PODXT LIVE this button is the key. Exactly how it works is detailed in Chapter 4, **Creating & Storing Sounds**. But you’re probably impatient, so here are the basics:

When using a pre-programmed sound, PODXT LIVE will display the bank number, channel letter and channel name in its left display , and the channel name at the top of the right display. If you turn one of the knobs or change a parameter in the **EDIT** mode pages, you’ll notice an asterisk appears to the left of the bank number. This is a reminder to you that you have tweaked the memorized channel, and that you should *save* it if you want your PODXT LIVE to remember the tweak.

To save the changes you’ve made to a Channel Memory, press the **SAVE** button. The button will start to flash. Just press **SAVE** again if you want to overwrite the currently loaded Channel, using the same name. Or, if you’d like to change the name first, use the middle two Soft Buttons to select a character, then press the right soft button and turn the **EFFECT TWEAK** knob to change the character. Press the soft button under **dest**, turn the **EFFECT TWEAK** knob, and you will see that you are switching through memory locations A, B, C, and D in each of the sixteen numbered banks. Pick one to store your sound in, and press that **SAVE** button a second time. The button’s light will stop flashing, a progress bar will shown on the display, and the sound is stored at the location you chose, replacing the sound that was there before.

After the sound is stored, you can bring it back any old time by simply turning the **SELECT** knob to call up the location where you stored it, or by dancing around on PODXT LIVE’s footswitches to select the appropriate bank and channel.

If you aren't using one of the PODXT LIVE Channel Memories — you're in Manual mode, and you're just getting the sound of where the knobs are set — you can store that state into a memory location the same way. Press **SAVE**, then **DEST**, then use **EFFECT TWEAK** to choose a place to save to, and press **SAVE** again.


If you decide you don't want to store the sound after you've started saving, press any other button to cancel the save. (The save will also be canceled if you don't touch anything for 15 seconds after pressing **SAVE**.) If you accidentally save over a factory sound you liked, the **SAVE** button's additional pages let you recall the factory preset version of a Channel Memory any time. See **Chapter 4** for details on this feature.

The **SAVE** button also lets you customize any of the Amp Models and Effect Setups to your own taste, so your favorite version of the amp or effect comes up instantly when you turn **AMP MODELS** or **EFFECTS**. See **Chapter 4** for the details on that.

16 Edit - A deep-dive into tone central is available at the press of the **EDIT** button. While **EDIT** is lit, the **SELECT** knob selects pages of everything that makes up a Channel Memory. From here, you set all the effect parameters, select cabinets and microphones, and assign a parameter to the **EFFECT TWEAK** knob. To learn more about deep editing, please see **Chapter 4**.

17 Soft Buttons - These four buttons operate differently depending on what you're doing.

If the **EDIT** button is **NOT** lit, the PODXT LIVE's display will look about like this:



Press any one of the Soft Buttons below the display to turn the item above that button on or off. In the example above, the **COMP**, **AMP**, and **GATE** processing are off, and the **EQ** is on. Double-press any of these Soft Buttons to show the settings for that item, then press the lit **EDIT** button to exit that display when you're done tweaking details.

If the **EDIT** button **IS** lit, the Soft Buttons will let you select which displayed setting you'd like to tweak. See **Chapter 4** for the detail on that.

18 Output Mode/System - This button takes you to a page where you tell PODXT LIVE what you're connecting to so that everything will sound and work properly.

There are also other pages here (selectable with the **SELECT 10** knob) for adjusting the operation of your PODXT LIVE. The settings made in these pages are NOT saved in individual Channel Memories. They affect the overall, general operation of the PODXT LIVE.

19 Amp, Stomp, Mod, Delay - These footswitches show you which of these “blocks” of sound processing is currently running. Light on means that item is active. Light off means it’s bypassed. Step on a switch to switch it on/off. Chapter 4 tells you about editing the details of the Amp, Stomp, Mod and Delay. Chapter 5 tells you about the individual Amp Models that PODXT LIVE gives you., while Chapter 6 tells you all about the individual Stomp, Mod and Delay Models.

20 Bank Up/Down - These footswitches choose amongst the PODXT LIVE’s 36 banks of Channel Memories, similar to the Select **10** knob. Once you’ve footswitched your way to a new bank, you’ll then also need to step on the A, B, C or D footswitch to actually load one of the channels from that bank. (We set things up this way so your audience won’t hear you switching through channels as you make your way to your next bank of sounds.)

21 A, B, C, D - The lights on these footswitches show you which of the Channels in the current Bank is running. You can step on any of them to choose a different channel — basically the same thing you can do with the **SELECT 10** knob. You can also step on one of these switches and hold it for two seconds to activate a **Manual Mode**. In this mode, PODXT LIVE’s display will show “Manual Mode” in place of the Channel Memory name, and the physical positions of the **AMP TONE CONTROLS 13** and **CHANNEL VOLUME 14** knobs will determine your sound.


22 Tap (Hold/Tuner) - PODXT LIVE allows you to control the time and speed of your effects by simply tapping on this button. To use the **TAP** control, just tap the button at the tempo you want and the effects that are set to “lock” to that tempo will change to match what you tapped. There’s also a Tempo parameter near the end of the **EDIT** pages, so you’ll see exactly what Tempo you’ve Tapped. This is especially useful if you are trying to nudge your **TAP** setting to just the right value. See **Chapter 4** to learn how to set up effects to follow the tempo that you’ve tapped.

But wait, that’s not all. You can instead hold the switch for about 2 seconds and — Shazam! Instant digital chromatic tuner. Play a note on your guitar and PODXT LIVE will show you what it is on that handy display; all notes are displayed as flats, so you’ll see A \flat instead of G \sharp . Play that string you’re trying to tune again, spin its tuning key so it goes sharp and flat, and the little ball will move to the right if it’s sharp and back down to the left when the note’s flat. The little ball will sit right in the middle when you’ve got it just

right. Give PODxt's **TUNE/SYSTEM** button a push and the tuner disappears just as swiftly as it came, taking you right back to normal operation.

Tuner Bypass/Volume - Normally, the audio will be muted while you're tuning, but if you prefer to hear yourself tune, press the button labeled Mute, and turn **EFFECT TWEAK** counter-clockwise to select Bypass.

Tuner Reference - Want a different reference than A=440Hz? When you're in the tuner mode, press the button labeled 440 Hz and turn the **EFFECT TWEAK** knob on PODXT LIVE while watching the display. This control lets you set the reference frequency anywhere from 430-450 Hz. This setting is stored so you don't have to reset it every time you turn on PODXT LIVE if you decide you want to be different (or if that piano in your rehearsal room has decided to be different).

23 Onboard Pedal - The lights to the left of this pedal show whether it will operate the Wah effect, Volume Pedal, or (when both lights are lit) Tweak, which is the same thing controlled by the **EFFECT TWEAK**  knob. When operating the Wah, you can press hard with your toe at the top of the pedal, and the wah — as well as the wah light to the left of the pedal — will turn on and off. To learn how to change what the pedal controls, see page 4•9.

GETTING SET UP

The numbers in black boxes below and throughout the chapter refer to the back cover foldout's illustrations.

3•1

PODXT LIVE is ready to give you world-class tone, no matter what you're plugging into. It's as happy to live on stage, plugged into your ol' standby amp, as it is working alongside the most elite of world-class recording systems. (And who wouldn't be?) To tell you what you need for where you're going, this chapter's got three sections:

- PODXT LIVE - In the Studio**
- PODXT LIVE - Playing Live**
- PODXT LIVE - Connection & Configuration**



But first, it's the...


All Purpose Basics

1. Plug the power supply or cable into the wall, and connect it to the power connector on your PODXT LIVE.
2. Connect your guitar to PODXT LIVE's **INPUT 8**.
3. PODXT LIVE: Connect PODXT LIVE to whatever you're going to be playing it into. .

Variax

The Variax line of guitars is unique, thanks to Line 6 modeling technology that gives you a whole collection of guitars in one single instrument. (You can learn more about them at the Line 6 web site.)

If you're a lucky Variax owner, you'll want to take advantage of PODxt Live's rear panel **VARIAX**  jack. Connect your Variax to this jack using only Line 6-supplied Variax cables. Once you've done that, press the **OUTPUT MODE/SYSTEM** button  and give the **EFFECT TWEAK** knob a spin until you see this page:



Press the Soft Button under the word **VARIAX** and turn the **EFFECT TWEAK** knob to choose **ON** or **OFF** to tell PODxt Live whether you'd like it control the Variax. When control is enabled, PODxt Live can change Variax models as you change PODxt Live channels, as described on page **4•10**.

Note also that you can have a standard guitar and your Variax plugged into PODxt Live at the same time, and both will work. Just be sure to roll the volume knob back all the way on the one you're not using.

On Stage


Keeping Your Options Open

When you're playing live with PODXT LIVE, you've got a choice of setups. You can plug straight out of the PODXT LIVE's outputs into the house system for awesome tone without the hassle of mics and cabinets and all that other stage setup. You can also choose to run PODXT LIVE into a power amp and speaker cabinets, using it as the ultimate preamp. Or, you can plug your PODXT LIVE in between your guitar and a guitar amplifier so PODXT LIVE acts as a tone shaping front end for the amp. Whichever setup you choose, you're gonna have to tell your PODXT LIVE about it first. Read along and we'll get'cha dialed in like a pro.

3•3

What are you connecting to?

You can supply your PODXT LIVE with one of three answers to this question, and thereby ensure that your friend on the floor gives you the best possible tones in any setup. Press the **Output Mode/System** **18** button to light it up and you'll see:




STUDIO DIRECT—When plugging PODXT LIVE straight into a P.A., or using in-ear monitoring systems, press the Soft Button below **DEST** and turn the **EFFECT TWEAK** knob **12** to select **STUDIO DIRECT** for amazing amp and effect tone, night after night. Line 6 exclusive A.I.R. processing serves up a virtual speaker-cabinet-air-microphone experience so good you may never use a regular guitar amplifier and microphone on stage again. You're as powerful as the entire P.A.—and guaranteed to be in the mix!

COMBO FRONT, COMBO PWRAMP, STACK FRONT & STACK PWRAMP—

Choose one of these modes when you're plugging your PODXT LIVE into another guitar amp, or a power amp and guitar speakers. When you're running Amp Modeling in your PODXT LIVE with one of these modes activated, the Mic and Room components of A.I.R. are turned off, and the Cabinet Models are revoiced to sound their best coming through the kind of speaker you choose. The "Pwramp" variations should be used when you're running straight into a poweramp driving speakers, or running into the effect return of an amp so that its own preamp is bypassed and you're getting your PODXT LIVE's signal right to the power amp section. Choose a "Front" variation when you're plugging right into the front of a combo amp or head, which will also run you through that amp's

preamp section. The two “Front” modes also give you some Tone Correction controls, as shown here:



The idea of these Tone Correction controls is to adjust PODXT LIVE’s overall sound to compensate for the tonal response of the preamp section of the amp that you’re plugging into. We’ve found that it is often necessary to reduce the low frequency or high frequency parts of the PODXT LIVE to get decent results in this sort of a configuration, or shift the focus of the mid frequencies, so that’s what these controls are set to do. Press the Soft Button **17** below **LOWS** or **HIGHS** and twiddle the **EFFECT TWEAK** **12** knob to reduce the amount of low or high frequencies that the PODXT LIVE will send out. Use **FOCUS** to choose which mid frequencies to emphasize.

Note: When running PODXT LIVE into a guitar amp (as opposed to studio monitors or headphones) remember that different speaker/amp combinations sound wildly different. Consider the name of each DEST choice as a recommendation only, and experiment with all the options to see which sounds best for your particular setup.



And last but not least ON our lineup of available **DEST** choices is...


BOSE PS1—Choose this when plugging into a Bose PS1 Cylindrical Radiator™ loud-speaker system. We specially tuned this mode for great sound from the innovative new sound system that you can learn more about from www.bose.com.

PODXT LIVE remembers the “What are you connected to?” settings you choose, so you don’t have to re-set them every time you power up. If you change to a different setting when using a different setup, don’t forget to change back to your standard setting once you get back to your regular setup.

Getting The Right Tone With An Amp


The first thing to consider when running PODXT LIVE in front of an amp is what you want to achieve. If you want to use your amp for its tone, with PODXT LIVE supplying effects and some extra distortion when needed, then you’ll generally get the best results

turning the **AMP**  modeling off and using a **STOMP**  when you want to add distortion. The sounds that are pre-programmed in Banks 9-16 are set up this way, to complement the tone provided by your amp. For this setup, you'll want to plug right into your amp's front panel guitar input, and be sure you've made the proper choice of **COMBO FRONT** or **STACK FRONT** on the "What are you connecting to?" system page (see page **3•3**).

On the other hand, if you want to use PODXT LIVE's Amp Modeling ability to transform the basic tone of your amp to make it sound more like another amp, you'll probably want the **AMP**  modeling on, as you'll find in the pre-programmed sounds in banks 1-8. If you've got an amp with effect send/return jacks, or a power amp input, we recommend you first try feeding your PODXT LIVE's input into them, bypassing your guitar amp's own preamp and its tone contribution. Then be sure you've made the proper choice of **COMBO PWRAMP** or **STACK PWRAMP** on the "What are you connecting to?" system page (see page **3•3**). If, instead, you're plugging right into the guitar input on the front of your amp, try **COMBO FRONT** or **STACK FRONT** mode on the "What are you connecting to?" system page.

It's also important to be realistic about what you're going to achieve here — as good as it is, PODXT LIVE won't be able to make a \$100 combo amp with a cheap speaker sound *exactly* like the vintage amp of your dreams. When you're plugging into the front of an amp, it's a good idea to start off with that amp in neutral. What is "neutral," you ask? Well, if you only have one volume control on your amp, set it low enough to get a "clean" tone; that ensures PODXT LIVE's sounds come through as purely as possible. If you have a master volume in addition to a volume control on the input, set them both so that the first volume doesn't overdrive the master volume (so you're getting a clean tone). This will vary from amp to amp, but usually the input volume is going to be less than the master volume to get a clean, non-distorted sound. If you have passive tone controls, try setting your mid control at max, and your treble and bass controls at zero (this is actually "flat" equalization-wise on most amps). Active tone controls may vary, but just be sure you're not overdriving the amp so the PODXT LIVE tone comes through without extra coloration. Once you get going, you can tweak the amplifier settings to suit your tastes. Try to set PODXT LIVE's **OUTPUT** so you're not overdriving the input of the amp.

External Stomp Boxes and PODxT LIVE


If you've been playing guitar for a while, you probably have some favorite pedals that you dig. And even though PODxT Live has now graced your life with some pretty hip stomp box and rack effects models, you probably still want to have the option of keeping those old pedals in your arsenal. No problem! Just remember that if you're going to use PODxT Live with those other effects boxes in front, they're going to act differently based on the Amp Model you've selected on your PODxT Live. It's just like you'd expect — different combinations will produce a veritable feast of tone! Some distortion boxes may sound overly harsh if you max their output volume into your PODxT Live. Try lowering the distortion box's volume, and you can always add more gain with PODxT Live's **DRIVE** knob or its own **STOMP** effects. You can also try setting the rear panel **INPUT**  switch to the “pad” position to contend with particularly hot output pedals.

In The Studio

To use the USB connector, visit www.line6.com to download PODXT LIVE USB Driver Software, as well as Line 6 Edit Mac/Windows software or GuitarPort (Windows only) software.

What are you connecting to?

Your PODXT LIVE needs to adjust itself to deliver the best possible sound depending on what you're connecting to. Press the **OUTPUT MODE/SYSTEM** **18** button so the display asks, "What are you connecting to?"




Press the Soft Button below **DEST** and turn the **EFFECT TWEAK** knob **12** to select **STUDIO: DIRECT** mode. In this mode, Line 6's exclusive A.I.R. II DSP is active, and you are treated to a virtual speaker-cabinet-air-microphone experience that's so good you may never use a regular guitar amplifier and microphone set up again.

The **DEST** setting you select will be remembered by your PODXT LIVE, so you don't have to re-set it every time you power up. If you change it to a different setting for a special situation you come across, don't forget to change it back again to the setting you normally use once you get back to your standard setup. When you plug your headphones into PODXT LIVE, **DEST** will be automatically set to **STUDIO: DIRECT**, giving you the best tone for private jamming.

The Ins and Outs of Great Tone

If you're hooking your PODXT LIVE up to a recorder, mixer, or other equipment, be sure you are plugging its outputs into **line level inputs** on your other gear, as opposed to microphone level or guitar level inputs. This will insure that you get the best signal-to-noise ratio (lots of juicy guitar tone, not too much hiss) with PODXT LIVE. Some equipment only gives you a single input for both mic & line level sources, allowing you to trim low level signals (like mics) up to a high level at the inputs. If you are plugging your PODXT LIVE into one of these inputs, try setting the trim to minimum, and twisting the **OUTPUT** **6** and **CHANNEL VOLUME** **14** knobs up to maximum. If your equipment has a couple of open line-level only inputs, you'll probably get better performance by plugging into these, rather than the wide-ranging mic-to-line level trimmed inputs.

Setting Levels

Start by setting PODXT LIVE to the sound you intend to use, strum hard, and set **CHANNEL VOLUME**  as close to max as you can without getting the CLIP indicator in PODXT LIVE's display. Now play with the PODXT LIVE **OUTPUT** knob and any input volume control on your system so you can get the maximum sound level out of your PODXT LIVE without going so far that you overdrive the input on your system and cause unwanted distortion.

TIP: You probably want to have all of your favorite sounds as loud as possible, while also having the right difference in volume between your lead and rhythm sounds, clean and dirty sounds, etc. Right? OK, then, to get this happy balance, start with your favorite 'clean' sounds. Turn up their Chan Vol as high as you can without getting the CLIP indicator in PODXT LIVE's display when you strum hard. and save them that way. Then switch amongst them to see if some are too loud, and turn them down a bit to match well with the others. Next, move on to select your 'dirtier' crunch and lead tones, comparing them to the clean sounds and saving them with lower Chan Vol settings to match well with those clean sounds. Now, each time you use your PODXT LIVE, you just have to set an Output volume level you like, and you can switch amongst your various sounds without unhappy volume differences.



Radiation Alert

You're also likely to find, especially if you are using a guitar with single coil pickups, that it is quite easy to pick up some serious noise from any computer CRT (which stands for *cathode ray tube*) display you might have in your studio. CRT displays are, after all, just special purpose ray guns that shoot photons at you all day long. Your guitar pickups receive and amplify the electro-magnetic fields that your display radiates, and you hear this in your audio signal as buzz and hum. Moving farther from the CRT, and turning your guitar so it does not directly face the computer's display, will minimize this problem. But if you find yourself in a tight studio setup, needing to lay down some quick tracks, and being pestered by CRT-induced buzz, you may find it helpful to do as we have sometimes done: set up your track to record and start your pre-roll; reach up and flick your computer monitor's power switch off; record your guitar part; stop your recording, flick the monitor back on, and check out the buzz-free playback. Flatscreen LCD monitors generally don't cause hum and buzz. And just in case you're looking for an excuse to buy one... Line 6 **Variac** guitars are immune to this sort of radiation-induced hum also, since it does not use traditional magnetic pickups.

MIDI Mania

Those of you with MIDI-capable studios will find that your PODxt LIVE lets you control *everything* via MIDI. Using MIDI, you can select any PODxt LIVE Channel and automate any PODxt LIVE parameter. You are truly lord of your domain. Pretty neat, huh? Read the **Deep Editing & MIDI Control** chapter if you plan to venture into this realm.

Re-Amping

3•9

What is Re-Amping?

For years, creative recording engineers have used what they call “re-amping” to add a whole other layer of creativity to the recording experience (some would say that it’s a whole other layer of complexity, but we won’t get into *that* particular argument here). What re-amping consists of, in the old-school way, is using a splitter/direct box to feed the guitar to both an amp (for monitoring and recording one track) and straight to the board (for a completely unprocessed dry signal to tape on a second track). This gives the ability to tweak the guitar tone after the fact. If you get the perfect performance, but discover on mixdown that the guitar tone isn’t sitting quite right in the track, you don’t have to bring the guitarist back into the studio (paying his exorbitant rates) to re-cut the track. You simply feed the dry guitar track back out to an amp and dial up a more appropriate tone.


To do all this used to require the aforementioned splitter/direct box, some sort of impedance and level matching box for feeding the signal back to the guitar amp (because the signal coming out of the board or direct from tape doesn’t look like a live guitar signal to the amp, so it won’t *sound* quite like a live guitar when you’re done), a box full of mics, a closet full of amps, a tangle of cables, and a lot of time to set all that stuff up. What a pain, huh? Well, with the PODxt LIVE, you’ve already got the box full of mics and the closet full of amps. We’ve built the rest into the USB driver (which is, of course, available for free from the Line 6 website or through the Line 6 Monkey program we’ve mentioned earlier in this manual).

Re-Amping via USB

Once you’ve downloaded and installed the USB driver, whether directly from the Line 6 website or by letting Line 6 Monkey do all the work for you, you’re ready to re-amp. Here’s how:


The PODxt Family USB driver (which we will henceforth refer to as the driver to save our delicate typing fingers, okay?) has four (4) different signal routing options, all of which have their own purpose.

1. Send processed guitar – This routing option is the default setting for normal




recording. As you can see from the diagram, the guitar goes right to the internal processing of the PODxt, the processed signal is sent to the computer (so you can record it) and the output of the PODxt shows both the processed guitar signal and the tracks that you're playing on the computer. Pretty straightforward, isn't it?

2. Send clean guitar – This is the basic re-amping “get my dry guitar recorded”




setting. The dry guitar input signal is sent to the computer for recording, and also to the internal processing of the PODxt so you can hear how the guitar sounds through the amp and effects you've dialed up. The tracks you're playing and the processed guitar signal are sent to the output of the PODxt so you can monitor your performance.

3. Send clean guitar, re-amp playback – This one's a little tricky, but it has its uses.



The dry guitar is sent to the computer and to the internal processing. The computer signal is also sent to the internal processing and only the internally processed signal from the PODxt is sent to the outputs. This one is useful if you're trying to double a guitar track you've already recorded (or play a harmony line or contrapuntal part to that track) for a track that you'll also be re-amping. You'll generally be playing only the 1st track and a click reference unless you like the sound of the entire band through a raging amplifier.

4. Send Re-amp playback – This would be your traditional re-amping set up. The



computer audio is sent to the internal processing of the PODxt, and the processed signal is fed back to the computer for recording and to the outputs of the PODxt for monitoring.

So how do we put this all together? Here's the basic workflow:

1. Using routing setting 2 - Send Clean Guitar, record the basic guitar track while monitoring the whole mix through the PODxt's outputs. This should result in a recorded track of crystal clear, unprocessed dry guitar.
2. Using routing setting 4 - Send Re-amp Playback, use your recording program to assign the playback of the track you want to re-amp to the PODxt input and arm a new track for recording that's assigned to the PODxt output. When you press "Record" on your software, what you should end up with is a new track that has all the juicy goodness of PODxt's amp and effect modeling, while leaving your original dry track alone, so you can do it all over again with yet another round of re-amping.

Obviously, with all these different routing options available, there are a lot of other things you can do - far more than we can cover in this manual, as a matter of fact. We recommend spending some time experimenting with the other routing options after you get the basic process down, and if you come up with something really cool and twisted, let us know.

A few notes about stuff that you may run into:

Latency – No doubt about it, computer recording has latency issues. Anytime you send a signal in and out of the computer, it takes time, even if it's only a couple of milliseconds. That new track you record by re-amping will be just a wee bit behind the original track. Do it a few times and it'll start to sound funny. Check your recording software for a latency compensation feature. Sometimes it's automatic, sometimes you just have to drag the new track backwards a couple of ticks to line it up with the original. Unfortunately, there's no magic wand for this. Time only moves forward, at least until you drag the track back.

Latency, part II – How your buffer size is set on your recording software can have an adverse effect on latency. Larger buffers equal higher latency, small buffers equal more load on your CPU, which can mean clicks, pops, and dropouts. Every system is different, so you'll have to spend some time finding out what the most reliable settings on your system are. We highly recommend NOT having other programs (like email, browser, and especially games) running in the background while you're recording. After all, they don't play Pong on the board in a pro recording studio.

Imaging – It may have stereo outputs, but the PODxt's input is mono only. You can't feed it a stereo signal (well, you can, but what you'll get out is mono). It's important to remember that when you're assigning tracks to the PODxt for re-amping.

CREATING & STORING SOUNDS

This chapter gives you the inside scoop on editing your new PODXT LIVE. Here, we'll take you through everything from loading and changing sounds to full customization of PODXT LIVE's Amp and Effect Models. Even you power users will want to read on and learn the tips and tricks to the quickest way around for instant tonal satisfaction. You can also use **Line 6 Edit** software, downloadable from www.line6.com, to edit your PODXT LIVE, backup your memory, and save a library of sounds on your computer.

4•1

Recalling Channel Memories

When you first turn your PODXT LIVE on, the display will look something like this:



Use the **SELECT** knob to spin through the channels, which are organized into 32 Banks, where each Bank has four Channel Memories: A, B, C, D. Or, you can step on the **BANK Up/Down** **20** and **A, B, C, and D** **21** footswitches to let your feet do the driving.

Try spinning that **SELECT** **10** knob to find something you like. Need a bit more bass, or perhaps lots more drive? No problem! You simply reach up, grab a knob and twiddle away, my friend, because, in addition to the **AMP TONE CONTROLS** **13** and **CHANNEL VOLUME** **14** knobs, you've got those handy on/off buttons for the effects **19**, plus the smart **EFFECT TWEAK** **12** knob that is always ready to change the most important effects parameter.

Editing Basics

In this section we'll take a trip into tweak. A Deep Dive into the way your PODXT LIVE works, and how to make it best work for you. PODXT LIVE's knobs, buttons and display give you direct access to absolutely every detail. No need to connect to a computer for detailed editing as is required for the original POD.

To begin your editing adventure, all you have to do is press the **EDIT** button to light it up. Now turn the **SELECT** knob. Well lookey here, everything you'd ever want to tweak on your PODXT LIVE is right there in front of you. To change something shown on the

display, simply press the Soft Button **17** directly below it and spin **EFFECT TWEAK**. Everything you tweak here, by the way, is remembered when you press **SAVE** and choose a Channel Memory to save to.

Double Press for Easy Access

Want to change the Mod effect, or pick a different Delay model? No worries! Press twice quickly on the **AMP**, **STOMP**, **MOD** or **DELAY 19** footswitch any time to go straight to the first page of parameters for the associated effect. Another double-press will pop you right back out of Edit, so you can surf for more tone.

When the **EDIT** button is NOT lit, you'll notice that the two right Soft Buttons **17** have the boxed words **GATE** and **EQ**. Double-press one of them to jump right to the editing page for that effect. Then press the **EDIT** button to leave again.

Inside the Edit Menu

When the **EDIT** button is lit, you'll see that there is a graphic representation of the **EDIT** “menu” on the left side of the PODXT LIVE's display. Turn the select knob, and notice that the box in the graphic slides up and down the menu, with each dot in the graphic representing one of the available **EDIT** pages. This “scroll bar” is there to help you keep your place in the great circle of life, er, **EDIT** pages.

Amp knob settings

With the **EDIT** button NOT lit, double-press the Soft Button labeled **AMP** to see the Amp Model settings. When the **EDIT** button IS lit, spin the **SELECT** knob counterclockwise to select the first page from the **EDIT** menu. This page shows the knob settings for the current channel. If you've got the **AMP 19** on, it should look something like this:




At the top of the display you'll also see the Amp Model name. Now, spin the **EFFECT TWEAK** knob to select from the available Amp Models (if the **AMP 19** is currently off, you'll first need to turn it on before selecting a different Amp Model). See how the tone controls change? This shows you the settings that the helpful elves at Line 6 have programmed for each Amp Model. Read on to learn how to customize them for your taste.

Look carefully now... do you see the little 'dots' by the knobs? These tell you where the knobs were last saved. Reach up and spin the Drive knob. Notice that the knob moves on the display. Cool, huh? And notice that the little dots are still where they were. This allows you to compare your edit with the saved settings for this Channel Memory. Now, that's handy!

Amp Bypass Channel Volume


If you've got the **AMP** off, the display will instead look like this:



This is the volume that this channel will be set to when **AMP** is bypassed. It does not affect the volume that you'll hear when **AMP** is not bypassed.

Cabinet and Mic settings (There's magic in the A.I.R.!)

From the Amp Bypass Channel Volume display, turn **SELECT** one click to the right. You're now looking at something like this:



These are the advanced A.I.R. settings where you can mix and match any cabinet model with any amp, as well as dial in the perfect microphone setup.


Press the button under the displayed word **CAB**, then use the **EFFECT TWEAK** knob to spin through the available Cabinet models.


You can change the microphone selection or spread of the room the same way. Press the button under the displayed word **MIC**, then use **EFFECT TWEAK** to spin through the Mic options, or press the button under **ROOM** and dial in more or less room.

These settings allow you to completely customize the sound of the virtual recording environment we call A.I.R. — all without leaving the privacy of your own mind!


Comp/Gate settings

From the A.I.R. settings display, turn **SELECT** one click to the right (you can also get here directly by double-pressing the **SOFT BUTTON**  under the word **COMP** or **GATE** any time when the **EDIT** button is not already lit). You're now looking at something like this:




Just like any other edit page, you can press a Soft Button  then turn the **EFFECT TWEAK** knob to adjust the settings shown here. **Chapter 6** tells you more about getting the most out of the Comp and Gate effects.

EQ settings

From the Comp/Gate settings display, turn **SELECT** one click to the right (you can also get here directly by double-pressing the Soft Button  under the word **EQ** when the **EDIT** button is not already lit). Welcome to the **EQ** edit display:




The 4 graphic sliders on the left side of the page show you the gain settings of the four bands of PODXT LIVE's 4 Band Semi-Parametric EQ. The bands toward the left are for lower frequencies, the bands toward the right are for higher frequencies, and you can adjust the gain and frequency of each of them. The far left band is a low shelf, affecting all the sound at and below the frequency you select for it, and the far right is a high shelf, affecting the sound at and above its frequency. The middle two are band pass filters, affecting the sound centered on their frequency. The currently selected band is shown with heavier graphics, like the fourth band in the illustration. Press one of the two Soft Buttons on the left to **SELECT** one of the four bands for adjusting.

Pressing the two left Soft Buttons  simultaneously will set the EQ “flat,” so all bands have a gain setting of 0 and a default setting for frequency. Press the third Soft Button from the left and turn the **EFFECT TWEAK** knob to adjust **GAIN** for the correctly selected

band. Press the far right Soft Button and turn the **EFFECT TWEAK** knob to adjust **FREQ** for the correctly selected band. As you do all this, you can press two right Soft Buttons simultaneously any time to turn the EQ off (“EQ Bypassed” will show at the top of the display) and on to see what difference the EQ is making, and insure that the changes you’re making are improving your sound.

Stomp settings

From the EQ settings display, turn **SELECT** one click to the right. You’ll be looking at the Stompbox **EDIT** page that looks something like this:




As with all of the effects, the first button from the left below the display allows you to choose the effect model. You can also see that the model selected here, Vetta Comp, has ‘knobs’ for Sensitivity and Level. Pressing the button under **SENS** selects it for tweaking via the **EFFECT TWEAK** knob.

Some Stomp effects will have a second page, which you’ll see if you turn the **SELECT** knob. See **Chapter 6** to learn the details of the many Stomp models, and how to get the most out of each one of them.

Mod and Delay settings


Turn the **Select** knob one click clockwise from the **Stomp** page(s), or double-press the **Mod** button to see the Mod settings pages. Turn **Select** another couple clicks clockwise or double-press the **Delay** button to see the Delay pages. For the most part, things here work like the other edit pages already described (and **Chapter 6** will tell you about all the Mod and Delay models in detail). The pages look something like this:




Config

The **config** parameter on the second Mod and Delay pages determine whether those effects will come before (**PRE**) the amp or after it (**POST**) in the signal flow.


Here's a typical routing with a **MOD** effect **PRE** and a **DELAY** running **POST**:



Here's another routing with both **MOD** and **DELAY** effects in the **PRE** position:



And this is what the full signal flow looks like inside your PODXT LIVE, including the pre and post options for Mod, Delay and the Volume pedal:




Setting your Tone to Tempo

Mod Speed or Delay Time can optionally be set using note values and tempo:


1. Select the Delay **TIME** or Mod **SPEED** by pressing the button below it.
2. Spin **EFFECT TWEAK** counter-clockwise until you start seeing little notes in the place where milliseconds or Hertz used to be. Pick the note value you'd like your **TIME** or **SPEED** to match.
3. Tap twice on the **TAP** button to set your tempo, and your Delay and/or Mod now match the tempo you tapped.

When you set your Delay time to match dotted-eighth notes, for instance, the **TIME** control will look like this:



Reverb settings

Our next stop on our little trip through the **EDIT** wonderland is the Reverb page. (To get there, turn the Select knob one click clockwise from **DELAY**'s last **EDIT** page:




4•8

Here you've got the ability to change the reverb model (PODXT LIVE's got plenty of them), as well as the associated parameters necessary to get that really groovy verb going on.

Wah Settings

From the last Reverb edit page, spin the **SELECT** knob one click clockwise and you'll find the wah pedal parameters. The display now looks something like this:



Here you can choose the wah model, and save the on/off state of the wah with a Channel Memory. That way when you recall that channel, the wah comes on automatically. In fact, you can even save the position you want the wah to be set at when it comes on — by pressing the button below **POS1** and twiddling that **EFFECT TWEAK** knob.

Volume Settings

Spin the **SELECT** knob one more click clockwise and you're at the volume pedal parameters. The display should look like this:



Here you can choose the position of the volume pedal in your signal flow: **PRE** (before the amp model), or **POST**. The **MIN** setting determines how much volume you'll hear when the volume pedal is at its minimum (heel down) setting. Set it to 0% to have silence in the heel down position.

Amp/Comp Switch Settings

If you press the edit button and spin clockwise to the next to last page you'll find this:

| SWITCH | PEDAL | TWEAK | TEMPO |
|--------|---------|-------|-------|
| AMP | 1-W/OFF | COMP | 70.0 |
| | 2-VOL | THRES | 8PM |
| SWITCH | MIN | TWEAK | TEMPO |

Notice the switch parameter on the left. Here's where you can assign the **AMP** switch to either turn the amp modeling on and off (for effects only) or, if you always use an amp model (or never use an amp model), you can assign the switch to turn the **COMP** on and off. Best of both worlds, huh?"

Assigning the Pedal and Tweak Knob and dialing in Tempo

Light up the Edit button and spring the Select knob clockwise to the next to last page and you'll get this (we know, we were already talking about this edit page, but just humor us):

| | | | |
|--------|---------|-------|-------|
| SWITCH | PEDAL | TWEAK | TEMPO |
| AMP | 1-W/OFF | COMP | 70.0 |
| SWITCH | 2-VOL | THRES | 8PM |
| SWITCH | ASSIGN | TWEAK | TEMPO |

Press the Soft Button **18** under **ASSIGN**, and you can pick what the pedal of an optional FBV Shortboard will control. Here are your choices:

| Setting | Internal Pedal | Pedal 2 |
|----------------------|----------------|---------|
| 1 - W/OFF 2 - VOL | Wah/Off | Volume |
| 1 - TWEAK 2 - VOL | Tweak | Volume |
| 1 - w/v 2 - TWEAK | Wah/Volume | Tweak |

Press the Soft Button under **TWEAK**, and you can choose which parameter the **EFFECT TWEAK** knob will adjust when you are not in the **EDIT** pages.

The right side of this display shows you the tempo for this Channel Memory. This tempo is used to calculate the time/speed of any delay and modulation effects that you set to follow tempo. You set the tempo by tapping the **TAP** button a couple of times. Or you can press the button beneath **TEMPO** and spin the **EFFECT TWEAK** knob until you get exactly the tempo that will make your heart beat with passion and joy!

Variax

The Variax line of guitars is unique, thanks to Line 6 modeling technology that gives you a whole collection of guitars in one single instrument. (You can learn more about them at the Line 6 web site.) Connect one to your PODXT LIVE as described on page 3•2, and you can take charge of your entire guitar-amp-effects sound with your feet.

The last Edit page gives you the ability to decide, for each Channel Memory, how the Variax will respond when you select the channel on the PODXT LIVE. Light up the **EDIT** button and spin the **EFFECT TWEAK** until you get to this last page:



Press the Soft Button **18** under **MODEL**, and you can choose **DON'T CHANGE** (PODXT LIVE will not force Variax to change sounds when this PODXT LIVE channel is selected) or any of the available models in the Variax — in which case PODXT LIVE will force the Variax to this model when you load up this PODXT LIVE channel, allowing you to change your entire guitar-amp-effects sound via footswitch!

The other Soft Buttons give you access to the other settings that your Variax lets you save with your PODXT LIVE Channel Memory to give you a dialed-in guitar sound when you select this PODXT LIVE channel.

If you select Variax Models by pressing the left Soft Button here and twiddling the **EFFECT TWEAK** knob, you'll see that in addition to the Variax's Custom models, there are versions of the rest of the Models whose names are preceded by "F-" and a set preceded by "U-". The "U-" Models are the same ones that you get when you operate the Variax's own hardware controls for Model selection. These are the same Models that you can customize using the Variax Workbench hardware/software package (details at the Line 6 website). The "F-" Models are a "Factory" copy of these same models that are never edited. The reason they're there is so that PODXT LIVE sound programmers can always have a known set of Models available in a connected Variax — even one that's been fully customized with Variax Workbench. All Line 6 provided sounds will be programmed to use these Factory versions of your Variax Models. You should also restrict yourself to these Models if you want to be able to share your PODXT LIVE + Variax settings with other Variax owners, and get predictable results even if they've customized their Variax. If you'd prefer to use some other Model instead, you can choose a new one from your

Variac while you're on this Edit page, and you'll see that PODXT LIVE updates to show this Model's name. If you then save that PODXT LIVE channel, it will select that Variac Model for you each time.

One other detail: each PODXT LIVE channel actually stores a separate set of parameters for different types of Variac guitars. This way, a programmed sound can be ready to call up one Model on one type of Variac, while selecting a different Model (or none at all) if a different type of Variac happens to be connected. For instance, a classic rock lead sound might be set to pull up a LESTER Model on a Variac electric, while leaving the Model selection of a Variac Acoustic alone. We did it this way so that Line 6 programmed preset sounds for PODXT LIVE would be able to “do the right thing” regardless of which kind of Variac might be connected. As of this writing, there are two families of Variac available: the Variac 500/700 electric family (all guitars in this family use the same Model set), and the Variac Acoustic.

Saving Yourself

PODXT LIVE lets you save as many as 128 tones that you create as described earlier in this chapter. And even though we ship it to you chock full of some of our favorites, go ahead and save over whatever you want. We recommend spending some time with each of the factory sounds so you'll know which you want to keep, and which you'll want to save over. And don't worry, because we'll soon show you how to recall that favorite factory sound you just saved over and simply have to get back. Don't forget to take the time to visit customtone.com and check out the vast online library of tones, surf around, pull a few down, and even add your own masterpieces to the lot.

4•13

Saving a Channel Memory

One of the simplest things to do with PODXT LIVE is call up a Channel Memory, make a few tweaks, and save that Channel without changing its name. To simply save a Channel you've changed, press **SAVE**, then **SAVE** again. That's it.

Of course, you might want to stick your sound somewhere else, or at least change the name so you know which one it is. PODXT LIVE lets you do that just as easily.

To save your edit to a new location - Make your edits, then press **SAVE**. This calls up a screen that looks something like this:



Now, press the button under the display that reads **DEST** (short for destination) and then use the **EFFECT TWEAK** knob to pick a different Channel Memory. Pressing **SAVE** again will confirm your decision, and save your sound to that Channel Memory, replacing what was there before.


Give your tone a name - Make your edits, then press **SAVE**. Again, you'll see a display like the one above. Now, use the **CURSOR <** and **>** buttons to move the cursor under the letters you want to change. Press the button under **CHAR** (short for character) and then use **EFFECT TWEAK** to change the selected character. When you're done, press **SAVE** again to complete the job. See, that wasn't so bad.

Custom Saving Amp Models

Using this powerful feature, you can pack your PODXT LIVE with all the special amp-tweaking genius that only you possess. This brilliance will then be available instantly at the turn of the **AMP MODEL** knob, loading your customized version of the Amp Model, including your chosen Cab Model, Mic selection and your personal tweak of the ‘room’. This way, when you turn the **AMP MODEL** knob to load the Plexi-45 model, you’ll get *your* personal Plexi-45, with all the controls set for your very own version. Here’s how it works:

4•14

Choose an Amp Model, change the cab, tweak the room, and even use a different microphone. Press the **SAVE** button, then use the **SELECT** knob to show the display that looks like this:



You have entered the land of **Custom Save**. Now, if you want your current settings to be recalled with this Amp Model, simply press **SAVE** again.

PODXT LIVE saves the following controls with an Amp Model, and loads them when you turn the **AMP MODELS** knob:

| Controls you can customize |
|--|
| Amp Models |
| Cabinet Models |
| Microphone Model and Room amount |
| Drive, Bass, Middle, Treble, and Presence controls |
| Channel Volume |
| EQ settings |

MIDI Dumps


If you want to transfer one or more tones directly from one PODXT LIVE to another PODXT LIVE, or between PODXT LIVE and a MIDI data recorder, workstation, computer or sequencer, read on. You'll need a standard MIDI cable to do the deed. Connect the **MIDI Out** of your PODXT LIVE to the **MIDI In** of the receiving device. If you're exchanging MIDI with a computer, you also have the option of installing the PODXT LIVE Family USB Driver software (a free download from www.line6.com) and have your PODXT LIVE exchange MIDI messages with your computer over a USB cable.

You can then transfer:


- All Channels
- The Current Channel
- The Effect Setups
- The Amp Setups (including your customizations)

Transferring All Channel Memories - This feature will let you send all of your PODXT LIVE Channel Memories out via MIDI for a complete back-up of the 128 Channel Memories:

Press **SAVE** once, and use the **SELECT** knob to scroll down to this page:




Press the button under **SELECT**. Turn the **EFFECT TWEAK** knob to the left (counterclockwise) until the display reads:



Now, if you press **SAVE** again, the entire set of 128 Channel Memories of your PODXT LIVE will be dumped out of its MIDI jack. If another PODXT LIVE is connected, its brain will be taken over by this data, making it a virtual clone of your own PODXT LIVE channels! Who knew cloning was so easy?

Transferring Only Some Channels - To transfer only one or more individual Channel Memories, Effects Setups or Amp Models from one PODXT LIVE to another, do this:


Press **SAVE** once, and turn the **SELECT** knob to show the page that looks like this:




4•16

Turn the **EFFECT TWEAK** knob to tell PODXT LIVE what to transfer:


Any Channel Memory:




All Channel Memories:



All Amp Models:



All Effects Setups:



Now, if you press **SAVE** again, the MIDI dump you've selected will be transmitted out the MIDI jack, into the brain of a receiving PODXT LIVE, or into your computer or other MIDI device for backup.

MODELED AMPS & CABS

Which Amps and Cabs Are Modeled?

General Notes About the Models

As you may have guessed, we're tone fanatics here at Line 6. Once we've set our sights on creating a software emulation of a particular kind of amp, we will scour the globe in search of just the right specimen—that one, very particular amplifier that has the magic. We are also intensely mindful of the fact that, although amp model names may stay the same over the years, the circuit designs sometimes change radically. Amps from '57, '62, '65, '67, '75, and 2001 may all bear the same model name, yet sometimes have totally different sound and response, and quite often a different look as well. And as we all know, even two amps with the same circuit design, from the same era, can sound radically different, just on the basis of variance in component tolerances, among other things. Plus, there's the fact that every amp has its own special way of settling in over the years. And, just like people, some of them only get better with age. That's exactly why we went to so much trouble to find the very best examples we could of every amp that we wanted to model for PODXT LIVE. And it's why, when describing the software amp models that are emulations of other amplifiers, we've included photos here of the actual, individual amps that we lovingly selected, studied and measured—so that you'll know *exactly* which amp we're talking about.

So, now that you know what's in store, let's take a tour of the amp models that live inside your PODXT LIVE, and the original equipment that helped to make them possible.

There are 42 Amp Models living within your PODXT LIVE, plus 24 Cabinet Model selections. When you turn the **EFFECT TWEAK** knob, you select an Amp/Cab combination. You can then mix'n' match different cabs with the amp (see **Chapter 4** for details). **Chapter 4** also tells you how you can customize PODXT LIVE to call up your favorite Amp/Cab combinations.

LINE 6'S ORIGINALS

We'll start the introductions with the original Amp Models that Line 6 created to give you even more tonal options than you could get from vintage gear alone:

Line 6 Clean

To create this Amp Model, we essentially grafted the preamp and tone stack of our model based on* a JC-120 (Roland®'s popular "Jazz Chorus" solid state combo) onto the poweramp and transformer of our model based on* a classic Marshall® JTM-45 tube head, thereby giving you the crisp and clear front end typical of a solid state amp, but with a rich, satisfying tube amp-style bite as you turn it up.

Line 6 JTS-45

Since the design of early Marshall®s was based on the Fender® Tweed Bassman circuitry, we wondered what it would be like if we took the preamp and tone stack of our model based on* the Marshall® JTM 45 and ran it into the poweramp and transformer of our model based on* the Fender® '58 Tweed Bassman. What we got was *way* happening, as JTS-45 will attest. Great grind and nice punch. A tone the whole family can enjoy.

Line 6 Class A

One of the most satisfying tonal experiences as a guitarist is to play through an amp that's driven to the point where the poweramp is just starting to distort, but before it achieves full clipping. For many players, this is the coveted 'sweet spot' they look for on an amp. Because we're not limited to physical reality when we're creating amps in the digital world, our goal for this one was to make an amp model that was nothing but sweet spot. One of the great side effects is the ease of coaxing feedback out of this one.

Line 6 Mood

And here we give you a fantasia tone, based on our memories of grunge guitar tones we have known and loved.

****All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. ROLAND® and JAZZ CHORUS are registered trademarks of Roland Corporation. MARSHALL is a registered trademark of Marshall® Amplification PLC. FENDER® and BASSMAN® are registered trademarks of Fender Musical Instruments Corporation.***

Line 6 Spinal Puppet

You know how, when you're playing head-bangin' music, you look out into the audience and see all those heads bobbing up and down? Those are Spinal Puppets. Need we say more?

Line 6 Chemical X

Just like those secret ingredients that detergent companies used to crow about (Now with Ingredient X-27!), the Line 6 sound design guys wouldn't tell us anything about the inspiration for this one or who it might have belonged to (no matter what type of bribery we attempted). Suffice to say that it's a very punchy hi-gain sound that also cleans up quite nicely when you roll your volume back.

Line 6 Insane

Our goal here was to provide you with as much input gain distortion as possible short of complete meltdown. You get ridiculous, rich tube drive to shame the distortion of pretty much any amp on the planet (sort of like a Mesa/Boogie® Dual Rectifier® on 10 being used as a preamp for a Soldano®), while still retaining tonal definition and character. As a result, you'll enjoy lots of bottom end and cabinet character with tons of wide-ranging tone shaping. Crank up the Drive and take no prisoners!

Line 6 Piezacooustic 2

This one is designed to work with the piezo output of solidbody electrics that have one of those newfangled bridges with the 'acoustic' pickup built in. Since you don't have to worry about the body shaking itself to pieces with feedback on that type of guitar, we've cooked up this model with more low-mids and low frequencies.

Line 6 Agro

An aggressive high gain amp with a unique Mid control that will take you through the entire gamut of tone on one knob. How did we do it? The mid knob for this model changes the character of the distortion. When set to minimum the distortion exhibits Fuzz pedal characteristics. When the Mid is set to noon it creates creamy modern high gain amp tones a la Soldano®. And when the Mid knob is turned up to Max it's very much reminiscent of that Class A Vox® sound. Of course, then there are all the places in between...

****All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. DUAL RECTIFIER® is a registered trademark of Mesa/Boogie®, Limited. VOX® is a registered trademark of Korg Europe Limited.***

Line 6 Lunatic

High gain with lots of high mids and no mud. Great for layering with other amps to cut through on the high end. A wide range of top is available with the Treble and Presence controls (maybe to the edge of lunacy).

Line 6 Treadplate

The original POD and POD 2.0 had a popular amp model that was our best attempt at the time to make a model based on* the Mesa Boogie® Rectifier® series of amplifiers. In addition to the Boogie® vibe, that model had some unique qualities that were all its own, and people it liked so much, they asked us to let them get that same sound with the newest generation PODXT LIVE. So here it is. In a way, Treadplate marks the first time we've actually modeled another Line 6 product! Here is an excerpt from the old POD manual to describe it: "...modeled after* a 1994 Mesa Boogie® Dual Rectifier Tremoverb®. You can use this Amp Model to get that tight, high gain sound used by bands like Dream Theater or Metallica."

Line 6 Variax Acoustic

One of the great features of the Variax Digital Modeling Guitars from Line 6 are their models of acoustic instruments. These sounds are best appreciated through a full range monitor or P.A., due to their high frequency content. This Amp Model was created in order to allow the Variax's acoustic models to sound as full-range as possible through the speakers of typical guitar amps. This can come in handy when you're using an acoustic model from a Variax, and listening to it through a guitar amp's speakers. Keep in mind that since this model provides a large amount of high frequency boost (to compensate for the natural roll-off of typical guitar speakers) and overdriving a model playing an acoustic guitar is not usually a desired thing, this model will likely appear softer than most of its compatriots. If you need more gain, the Drive knob can be used to add some tube preamplification.

****All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. MESA/BOOGIE® and RECTIFIER® are registered trademarks of Mesa/Boogie®, Limited.***

Zen Master - Based on* a Budda Twinmaster 2x12 combo



5•5

The Budda has a great, warm, Class A/B, sound. The Budda philosophy is all about power tube distortion. Simplicity is the key. With relatively low front end gain, highly interactive tone controls, and tube rectifier “sag,” it’s great at getting a classic cranked sound for small gigs and recording (it’s all of 18 watts). Since the original Twinmaster has no mid control, we’ve added a little bonus to our model in the form of some post-Amp Model mid contouring available via PODXT LIVE’s **MIDDLE** control. As is true for all such “bonus” tone controls on PODXT LIVE’s models, you should set this control to 12 o’clock to get groovy with the unadorned Budda-style vibe.

We used the Twinmaster’s Input 2, which is lower gain, when creating this model.

****All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6’s sound model development.***

Small Tweed - Based on* a 1953 “wide panel” Fender® Tweed Deluxe®



5•6

This Amp Model will snarl with the best of them. The original amp had only a single tone control, essentially a treble roll off. We set up the **TREBLE** knob to give you this treble roll off when using this Amp Model. Which left us with the **BASS** and **MIDDLE** knobs just sitting there, so we set up the **BASS** and **MIDDLE** as post-Amp Model controls, which essentially lets you EQ up your tone as you would do on a mixing console after recording your amp. Set the **BASS** and **MIDDLE** knobs at halfway to put them in ‘neutral’, turn the **PRESENCE** to 0, and try the **TREBLE** knob somewhere above halfway for a classic Tweed sound.

**All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6’s sound model development. FENDER® and DELUXE REVERB® are registered trademarks of Fender Musical Instruments Corporation.*

Tweed B-Man - Based on* a 1958 Fender® Bassman® 4x10 combo

5•7

The Bassman® 4x10 combo was the amp that started it all—instant rock and roll tone. Originally a bass guitar amp, the Bassman® became a Blues staple for 6-string guitarists. It has the fat bottom end you'd expect from a bass amp, but also has the Fender® twang on the top. Incidentally, when Jim Marshall built his first amps with Ken Bran they were heavily influenced by the early Bassman®. One of the interesting things about the Bassman® is just how interactive the **MIDDLE** and **TREBLE** controls are. The **MIDDLE** control isn't a bandpass, as in most tone control setups. Instead, it's almost like a second treble control. The two are additive, so if you're running PODXT LIVE's **MIDDLE** knob higher than halfway up with this model, you'll find that the **TREBLE** control might give you more bright than you really want. On the other hand, when you turn the **MIDDLE** knob down, you'll probably want to boost the **TREBLE**. The Bassman®, like many of the amps modeled for PODXT LIVE, didn't have a master volume. So to get the kind of tone that the Bassman® can deliver at higher gain settings, you had to crank it up loud enough to do some serious damage to anyone who might be standing close by. With PODXT LIVE, you can get that kind of tone at a bedroom or studio level — or even through your headphones! Try a Drive setting of about 4 or 5—it's guaranteed to dredge up the best R&B licks you know.

**All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. FENDER® and BASSMAN® are registered trademarks of Fender Musical Instruments Corporation.*

Tiny Tweed - Based on* a 1961 Fender® Tweed Champ®



5•8

This model has a great sound when the Drive is cranked (not bad clean, either). These amps were originally designed to be sold to beginners, but rock and rollers quickly discovered that you could get a great distorted sound at fairly low volume levels. Many of the classic guitar solos of the 50's were recorded through a Champ®. The Champ® had no tone control, only volume. With your PODXT LIVE, it's easy to get a classic Champ® tone. Just leave the **BASS**, **MIDDLE** and **TREBLE** controls parked at 12 o'clock, which means they are "flat," making no contribution to the tone. Set **PRESENCE** to 0, and it will also be letting the unadorned classic Champ® tone through. When you're ready to explore further sonic territory, spin those and work your magic.

****All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. CHAMP® is a registered trademark of Fender Musical Instruments Corporation.***

Blackface Lux - Based on* a 1964 Fender® Blackface Deluxe Reverb®

5•9

The Holy Grail for many blues, country, and “roots” players has been a blackface Fender® Deluxe Reverb®. After listening to quite a few candidates back when we were seeking the ultimate Deluxe Reverb® to model during our development of FlexTone and POD, we stumbled upon an extremely cool '64 Deluxe. We still haven't found one better.

Most players love a Deluxe when it's turned up to about 7 for a nice gritty sound that cleans up when you back off your guitar's volume knob just a little. Notice how the tone control response changes as this Amp Model's Drive is changed: clean settings are crisp and present, while more driven settings will mellow the high end. This is typical of what you get from a Deluxe and is nicely captured here. The Deluxe itself has only **BASS** and **TREBLE** controls, leaving us, once again, with the prospect of a couple knobs with nothing to say for themselves. But fear not; in this case, we've set up PODXT LIVE's **MIDDLE** knob so you can add some post-Amp Model Midrange contouring for a little more flexibility, while **PRESENCE** adds, well, Presence. Once again, set the **MIDDLE** knob to its “neutral” 12 o'clock position and the **PRESENCE** knob to 0 for the classic Deluxe sound. Tweaked up right, this tone will cut through and sing. We jacked into Input 1 of the Vibrato Channel to get this model cooked up for PODXT LIVE.

**All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. FENDER® and DELUXE REVERB® are registered trademarks of Fender Musical Instruments Corporation.*

Double Verb - Based on* a 1965 Fender® Twin Reverb®



5•10

The classic blackface Fender® Twin® was a real workhorse. Everybody used it, from jazz and country players to serious rockers. I myself remember seeing Johnny Winter at a concert where both he and Rick Derringer—am I dating myself or what?—were using six Twins stacked in a pyramid. Each. We were in the second balcony and it was REALLY loud even all the way back there. The Twin® has a lot of tonal flexibility and is at home in a great many different situations. It never gets extremely overdriven and dirty, mostly just louder—a lot louder. This is *the* amp for the classic surf sound. Dial up the spring reverb, switch on the tremolo, crank up the volume, and look out for bikinis.

Like most everyone who owns one, we plugged into Input 1 of the Normal Channel for modeling purposes.

****All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. FENDER® and TWIN REVERB® are registered trademarks of Fender Musical Instruments Corporation.***

Two-Tone - Based on* a Gretsch® 6156



5•11

Another amp made by Valco/Supro, this is the Gretsch® 6156. One of its curiosities is that the output transformer is actually mounted on its single 10-inch speaker, rather than on the amp chassis. It also has a lovely wraparound grill cloth, for a real futuristic look (or what passed for it in the '50s).

****All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. GRETSCHE® is a registered trademark of Fred W. Gretsch Enterprises, Ltd.***

Hiway 100 - Based on* a Hiwatt® DR-103



5•12

Based on a Hiwatt® DR-103, this model gives a great, punchy sound that will cut through almost anything and retains great definition even when cranked. That's exactly what designer Dave Reeves was looking for when he left the Sound City division of Dallas Arbiter in 1966 to form HyLight Electronics. Though his first designs were more reminiscent of the Vox® and Selmer® amps of the day, it wasn't long before Reeves had started producing the amps that '60s Brit-Rock fans have become familiar with. Renowned for their 'tank-like' construction (due in part to Reeves' hiring of 'mil-spec' wiring specialist Harry Joyce), it was no small wonder this amp was the choice of Pete Townshend for so many years. It wasn't just Townshend using Hiwatt®, either. Many of the then-current crop of British rockers like Pink Floyd, The Moody Blues, Manfred Mann, and Jethro Tull were also Hiwatt® endorsees. Crank this one up and you can see for miles.

****All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. HIWATT® is a registered trademark of Fernandes Company Ltd. VOX® is a registered trademark of Korg Europe Limited. SELMER® is a registered trademark of The Selmer Company.***

Plexi 45 - Based on* a 1965 Marshall® JTM-45

5•13

This Amp Model is based on a '65 'block logo' (predates the “scrolled” Marshall® logo) JTM-45 head, complete with a gold Plexiglas front panel. When the royal agents we had dispatched to the U.K. found this particular amp, we instantly fell in love. The amp even has the original KT-66s in it, still in great shape! It's one of the finest examples of a JTM-45 we've ever heard, and it's a constant battle at Line 6 to see who gets to take it home for the weekend.

Those interested in the genealogy of tone will be interested to note that the JTM-45 marked the beginning of Marshall®'s transition from a mellower Fender®-like tone to the distinctive, bright “crunchy” sound of the later Marshalls®.

****All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. MARSHALL® is a registered trademark of Marshall Amplification PLC. FENDER® is a registered trademark of Fender Musical Instruments Corporation.***

Plexi Lead 100 - Based on* a 1968 Marshall® ‘Plexi’ Super Lead



5•14

Modeled after the infamous ‘68 Marshall® ‘Plexi’ Super Lead—coveted by tone connoisseurs the world over. We literally scoured the world for this particular amp, finally finding a great example of a Super Lead languishing (we like to think fate preserved it for us) in Holland. By the time this amp was built (ca. 1968), Marshall® had completely changed the circuitry away from the Fender® 6L6 power tube heritage and moved to an EL34 tube. Another major tone difference was due to the necessary output & power supply transformer changes. All this mucking about added up to create a tone forever linked with Rock Guitar. Amps of this era didn’t have any sort of master volume control, so to get *the* sound you’d have to crank your Super Lead to max—just the thing to help you really make friends with the neighbors. Hendrix used Marshall®s of this era; a decade later Van Halen’s first two records owed their “brown sound” to a 100-watt Plexi (Our Super Lead, in fact, has the ‘lay down’ transformer that was unique to ‘68 models, the same as Hendrix and Van Halen’s Marshall®s.). To get a crunch sound out of a Plexi, you would likely crank the input volume and tone controls (to 10!). You’ll find that, in keeping with our “make-it-sound-a-whole-lot-like-the-original” concept, PODXT LIVE’s model is set up to do pretty darned near the same thing.

****All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6’s sound model development. MARSHALL® is a registered trademark of Marshall Amplification PLC. FENDER® is a registered trademark of Fender Musical Instruments Corporation.***

Plexi Jump Lead - Based on* a 1968 Marshall® 'Plexi' Super Lead



5•15

Guitar playing is all about experimentation, isn't it? That, and finding all the possible ways to get more distortion out of whatever gear you have at hand.

One of the fun things you can do with a Plexi is take a short guitar cable and jumper channel I and channel II (as they're frequently numbered) together for a little extra saturation. Some guys loved this sound so much that they pulled the chassis and permanently wired a jumper into the amp.

Being the obsessive/compulsive tone freaks we are, we just had to give you a model of this setup, too.

****All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development.***

Plexi Variac - Based on* a Marshall® Super Lead Variac



5•16

Ahhh, the stuff of legend. According to the stories, part of the magic behind Edward Van Halen's 'Brown Sound' was a Marshall® 100 watt Super Lead being purposely run at higher voltage through the auspices of a Variable AC Transformer (aka a 'Variac').

While we don't generally recommend experiments with high voltage sources, especially ones that might blow up precious gear, we felt it was our duty to see if the stories were true. So we cranked the Variac up to 140v AC and gave the '68 Super Lead a power workout. (Don't worry, it survived to rock again.) We're thinking those stories must not be too far from wrong.

****All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. MARSHALL® is a registered trademark of Marshall Amplification PLC.***

Brit J-800 - Based on* a 1990 Marshall® JCM-800



5•17

Turn to this Amp Model to conjure up tones of the coveted JCM 800, one of Marshall®'s most universally-acclaimed modern amps. This updated version of the Plexi continued Marshall®'s heritage with added gain and edge for a new generation of rock guitarists. One of the biggest differences here is that the tone controls are located after the preamp tubes.

Incidentally, some versions of JCM 800's get their distortion by clipping a diode. The amp we modeled uses a tube for distortion.

The JCM 800 is, of course, the metal sound Marshall® made famous. And although not many people play Marshall®'s clean, it is a great tone, so you should also be sure to check out this model with a low Drive setting. Of course, you can always pump up the drive and rage...

****All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. MARSHALL® is a registered trademark of Marshall Amplification PLC.***

Brit JM Pre - Based on* a Marshall® JMP-1



5•18

Marshall®'s entry into the rackmount preamp world, the JMP-1, has been a favorite of 'big-hair' metal guitarists as well as many others looking for a tight, highly saturated tone without the compression of poweramp 'sag.' It was also one of the first MIDI-controllable preamps.

The overdrive flavor of the JMP is somewhat "Boogie®-esque" and many people saw the JMP as Marshall®'s answer to the ADA MP-1 and Mesa Boogie® preamps. First introduced in the early nineties, the JMP has enjoyed a recent surge of popularity with new metal bands looking for a really tight, aggressive, well focused tone without being overly scooped. Your seven string is gonna love our model developed from our careful study of the JMP-1.

****All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. MARSHALL® is a registered trademark of Marshall Amplification PLC. ADA is a registered trademark of Audio Design Associates, Inc. MESA/BOOGIE® is a registered trademark of Mesa/Boogie, Limited.***

Match Chief - Based on* a Matchless® Chieftain

5•19

We crafted this model from our studies of the Matchless® Chieftain. The Matchless® has an EL34-powered “modern class A” design — hence this model’s name — and a unique tone (largely due to the complicated EQ scheme).

The Chieftain was designed by Mark Sampson at Matchless® to blend a Fender®/Marshall® type front end with a classic ‘spongy’ and very reactive Class A power section.

With higher gain than the DC-30 (which is next in our hit parade), the Chieftain is a great roots-music amp. It also features the incredibly sexy feature of a light up front logo name plate, which may not affect tone, but it sure does look cool.

When, sad to say, Matchless® went out of business, both the Chieftain and the DC-30 became highly collectable pieces of gear, with used ones often fetching up to a thousand dollars more than their original price. We’re happy to do our part to keep the Matchless® legacy alive with the Matchless® models in your PODXT LIVE.

****All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6’s sound model development. MATCHLESS® is a registered trademark of Matchless, LLC. FENDER is a registered trademark of Fender Musical Instruments Corporation. MARSHALL® is a registered trademark of Marshall Amplification PLC.***

Match D-30 - Based on* a Matchless® DC-30



5•20

The DC-30 was the amp that really put Matchless® on the map. Mark Sampson, the amp's designer, who was generous enough to tell us the story of this amp's creation, set out to create a road-worthy Class A amp that could cover a wide range of tones.

Built like a tank (and weighing nearly as much), the DC-30 paid tribute to early Vox amps. So if you like a Vox® AC-30 (or PODXT LIVE's model based on one), you'll also want to check out PODXT LIVE's model of the DC-30.

****All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. MATCHLESS® is a registered trademark of Matchless, LLC. VOX® is a registered trademark of Korg Europe Limited.***

Treadplate Dual - Based on* a 2001 Mesa Boogie® Dual Rectifier® Solo



5•21

The Dual Rectifier® was part of Boogie®'s more modern, high gain approach for that “big hair” sound. In contrast to the earlier Boogie®s, the Dual Rectifier®'s tone controls have more influence at high gain settings, so you can scoop the mids and increase the bottom end.

We used Channel 3 on the Modern setting for this one with the rear switches set to Bold and Tube Rectifier, respectively.

****All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. MESA/BOOGIE® and RECTIFIER® are registered trademarks of Mesa/Boogie, Limited.***

Cali Crunch - Based on* a Mesa Boogie® Mark IIc+



5•22

Mesa® Engineering started out with Randall Smith souping up old Fender® Princeton amps for SF Bay area musicians. Over the years, the amps evolved, adding effects loops, switchable channels, and Randall's Simul-Class design, in which one pair of output tubes is run Class AB and the second pair run Class A. Boogie®s were really the first modern guitar amplifiers and were quickly adopted by many players looking for more 'oomph' in a smaller package. We used the Drive channel to do our modeling.

****All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. MESA/BOOGIE® and MESA ENGINEERING® are registered trademarks of Mesa/Boogie, Limited. FENDER® and PRINCETON® are registered trademarks of Fender Musical Instruments Corporation.***

Jazz Clean - Based on* a Roland® JC-120

5•23

This transistor amp was known for a strident clean sound and built-in stereo chorus. When using the JC-120 model, try cranking up the **Treble** for a shimmering clean sound that'll cut through just about any mix. It's also perfect for that 80's "new wave" sound (after all, it was Andy Summers' favorite amp with The Police).

You should also try setting all the tone controls at 12 o'clock for a darker jazz tone. It'll give you an essentially flat response, providing a balanced tone across the fret board for jazz chord melodies or single-line phrasing.

**All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. ROLAND® is a registered trademark of Roland Corporation.*

Solo 100 - Based on* a Soldano SLO-100



5•24

Mike Soldano first came to fame as the guy who could do all the really cool mods to your Marshall®. It wasn't long before he started building his own 'hot-rod' amps—sporting chromed transformers and chassis, no less. Mike's amps are also famous for their bullet-proof construction and military spec wiring and components.

While primarily known for its high gain personality, the SLO-100 has a great clean tone as well. Eric Clapton put Soldano on the map when he played “Saturday Night Live” with his Soldano SLO-100.

****All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. MARSHALL® is a registered trademark of Marshall Amplification PLC.***

Super O - Based on* a Supro® S6616

5•25

Yet more of the stuff of legend. Jimmy Page has admitted to using his '58 Tele® and a Supro® amp to record most of the first two Led Zeppelin albums. The only problem is, he's never really copped to *which* Supro® model he used, since his simply saying the word 'Supro®' caused a run on pawnshops and music stores everywhere, making it virtually impossible to find another one of whichever model it was that he used.

We went so far as to impose on our friendship with people we know who were actually present during the recording of "Led Zeppelin II" to see if they remembered anything about that particular amp. They didn't recall the specific model number, only that it was "a grey and silver tiny little bastard." Other sources have claimed that it was the 1x12-inch version. So, until Pagey speaks, the mystery remains, but, whatever the truth of those Zep sessions may be, we're confident that this Supro® S6616 model can be a fine entrance ticket to the Houses of the Holy.

By the way, that's a 6x9-inch speaker in this amp, just like in your car stereo. Go figure.

****All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. TELE® is a registered trademark of Fender Musical Instruments Corporation. Supro® is a registered trademark of Zinky Electronics.***

Class A-15 - Based on* a 1960 Vox® AC 15



5•26

Here's another Vox®-inspired Amp Model. This model is based on Channel 1 of a wonderful 1960 AC 15. The sound is similar to the more famous Vox® AC 30, but this is a smaller amp (one, instead of two, 12-inch speakers) with a warmer, more “woody” sound.

Once again, the original amp had only a single tone control—a treble cut. We faithfully modeled that and then slipped in some post-Amp Model Bass and Mid contouring. Set the **BASS** and **MIDDLE** in neutral (12 o'clock, or halfway up), **PRESENCE** to 0, and play with the **TREBLE** control to get yourself some of those classic British invasion sounds.

To model this, we plugged into Input 2, which is slightly darker than Input 1, and gives you more of that classic warm sound that the AC 15 is famous for.

****All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. VOX® is a registered trademark of Korg Europe Limited.***

Class A-30 TB - Based on* a 1967 Vox® AC-30 Top Boost

5•27

Music was changing in the early '60s and guitarists were asking for more brilliance & twang. So the Jennings Company, makers of Vox® amps, decided to add Treble and Bass controls (and an extra 12AX7 gain stage, incidentally) in addition to the Treble Cut knob it already had (which in actuality was a sliding bandpass filter that always seemed like it was working backwards); this additional circuit became known as Top Boost.

The AC 30 with Top Boost was the amp made famous by many British invasion bands. Much of the unique character of the Vox® sound can be attributed to the fact that Class A amps overdrive in a very different way than Class AB. Brian May of Queen, Mike Campbell of Tom Petty's Heartbreakers, and The Edge of U2 have all used classic AC 30s to make their music. Although usually played fairly clean, a cranked AC 30 has a great saturated lead tone, a la Brian May on the early Queen albums.

On this Amp Model, PODXT LIVE's **MIDDLE** control acts like the original Cut knob on the AC 30.

For this model, we used the Hi gain input of the Brilliant channel. We also turned the tone controls around, since original Top Boost amps had the bass and treble turned all the way down when the knob was all the way up. Go figure.

****All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. VOX® is a registered trademark of Korg Europe Limited.***

Tube Preamp

Not even close to being a guitar amp, but once we got started, we just couldn't stop ourselves. The thinking went like this: 'Once people get this PODXT LIVE, they're gonna wish they could use it for everything — warming up keyboards, crunching up drums, fuzzing up vocals. We've gotta give 'em something to do that!' So we did. The Tube Preamp Model lets you warm up any sound source the way producers and engineers often do in the studio with vintage tube gear. For more “edge” on vocals, try running your vocal tracks through PODXT LIVE. Or punch up (or munch up) a synth bass track by sending it through PODXT LIVE and cranking up the Drive and EQ controls to suit your taste. Although this is not actually a guitar amp model, you can even get some great guitar tones out of it. Also try using it as a direct box for bass. When you do this stuff, you want to use the Drive control like a mix knob on a reverb to control how much processing you want to hear. You generally don't want to mix the pre-PODXT LIVE sound with the post-PODXT LIVE sound because of the comb filtering that results. Instead, jack the sound source right into PODXT LIVE and then only monitor it through PODXT LIVE. With the tone controls at 12 o'clock, the EQ is “flat.”

Citrus D-30 - Based on* a 2005 Orange® AD30TC

In 1968, in a little music store on Old Compton St. in London, Clifford Cooper was having trouble getting amplifier manufacturers to take him seriously as a dealer, as they thought he was too young, and his shop too small. So he did what seemed only logical to an enthusiastic young man with a background in electrical engineering – he designed and built his own amplifiers. Since he had come into a large quantity of bright orange vinyl, that was what he used to cover his cabinets. It wasn't long before high-profile musicians like Fleetwood Mac, Stevie Wonder, and Frank Zappa were beating a path to his door. This model is based on a Orange® AD30TC head, a 30 watt, Class A number with a great personality that gracefully marries vintage british mid-gain breakup with modern shimmer and presence. Back off the drive and you'll get chimey boutique tones, dig in with the drive up and the AD30 purrs pure Brit Rock tone.

5•29

****All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. ORANGE is a registered trademark of Orange Musical Electronic Company, Ltd.***

Class A-30 Fawn - Based on* a Non Top Boost Vox® AC-30



5•30

This Amp Model is based on the Normal Channel of a Non Top Boost Vox® AC-30. The early Vox® amps were the first designed especially for electric guitar (Hey, some early amps from other manufacturers have Accordion inputs! Polka, anyone?), and used Class A power amp designs, rather than the much more common Class AB type. We were lucky enough to find what we are told was one of Bryan Adams' favorite AC 30s for recording. Lenny Kravitz happened to be using it the week before we began testing. It was one of the gems in a great collection of vintage amplifiers offered for rental in Los Angeles, where Line 6 is located. We later bought this amp, and continued to hone our emulation of it. This is definitely a good place to start to get yourself some of those classic British invasion sounds. Like the Model A-15, the AC 30 NTB has only a single treble control, so PODXT LIVE's Bass and Middle controls here are set up for cut/boost after the Amp Model processing to add a little extra flexibility without compromising the accuracy of the model. The 12 o'clock setting on these controls is flat response.

Here we modeled the Normal Channel and, as we did on the Class A-15 and Class A-30 TB model, we reversed the action of the Treble knob, so it doesn't behave 'backwards' from every other amp.

****All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. VOX® is a registered trademark of Korg Europe Limited.***

Brit Gain 18 - Based on* a Marshall® 1974X “authentic re-issue”

5•31

Based on the Marshall® 1974X “authentic re-issue” of the famous 1974 18W Combo from the late ‘60’s. (brief editorial aside: Marshall® has had a long tradition of coming up with model numbers that can easily be taken for years. The Model 1974 combo was manufacturer from 1965 to 1968, the Model 1961 and 1962 combos were first made in 1965. Is it any wonder we look confused sometimes?). The 1974 has a basic preamp, (gain and tone controls) and a cathode biased twin EL84 power amp. It is a great recording amplifier, with a wonderfully compressed and harmonically rich tone.

****All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6’s sound model development. MARSHALL® is a registered trademark of Marshall Amplification PLC.***

J-2000 #2 - Based on* a Marshall® JCM2000 DSL



5•32

Here's a model based on* a Marshall® JCM2000 DSL's Classic Gain - Crunch channel with the Deep switch in and the Tone Shift switch out. In addition the front end was driven with a Prescription Electronics Germ pedal, (moded for a flat tonality). The Germ gives it this incredible extra kick to the crunch, and opens up the top end. The rig belongs to Matt Scanell from Vertical Horizon. It's his studio rig, for which he takes out a duplicate set live. Thanks for the tip, Matt.

****All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. MARSHALL® is a registered trademark of Marshall Amplification PLC.***

Line 6 Boutique #1 - Based on* a Dumble Overdrive Special

Based on* the POD 2.0 model of the Clean Channel from the Dumble Overdrive Special. The Dumble Overdrive Special is one of those incredibly expensive, custom amps that most people never get a chance to actually get close to in this lifetime. Each incarnation of the Dumble magic is a little bit different, because each of these amps is hand built for a specific customer, and voiced to match their playing and desires. With that in mind, we based this TubeTone Amp Model on the analysis of several different Dumble Overdrive Specials. Despite this tuning to the individual owner, these amplifiers tend to have a number of features in common; the clean channel is very sensitive to attack, and dynamically responsive, and the drive channel has a thick, liquid, singing sustain that doesn't lose string definition when driven hard. The tone controls on this Amp Model are quite subtle, like those of the Dumble itself.

Line 6 Modern High Gain #1 - Based on* a Soldano X88R

Based on* the POD 2.0 model of the Soldano X88R. The Soldano sound is intensely overdriven, and also has EQ after the preamp distortion. This oversaturated tone is well-suited to thrash metal and grunge bands, but has also been used more subtly by artists like Eric Clapton. This is a good Amp Model to use if you want to get a current Van Halen or Joe Satriani sound. The POD Modern Hi Gain Amp Model is based on one of Mike Soldano's rackmount preamps. Talk about high gain preamp tube distortion! The X88R we studied to create this Amp Model would have been the rage for Los Angeles studio use in the late '80s.

****All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development.***


Cabinet Models

The following Cabinet Models are available on POD_{XT} LIVE, and are accessed by pressing the **CAB/A.I.R.** button, then turning the Effect Tweak knob:

| | |
|------------------|---|
| Cabinet Model | Based On*... |
| 1x6 Super O | 6x9 Supro S6616 |
| 1x8 Tweed | 1961 Fender® Tweed Champ® |
| 1x10 Gibtone | 1x10 Gibson® |
| 1x10 G-Brand | Gretsch® 6156 |
| 1x12 Line 6 | Line 6 1x12 |
| 1x12 Tweed | 1953 Fender® Tweed Deluxe |
| 1x12 Blackface | 1964 Fender Blackface Deluxe® |
| 1x12 Class A | 1960 Vox® AC-15 |
| 2x2 Mini T | 2x2" Fender® Mini Twin |
| 2x12 Line 6 | Line 6 2x12 |
| 2x12 Blackface | 1965 Fender® Blackface Twin Reverb® |
| 2x12 Match | 1995 Matchless® Chieftain |
| 2x12 Jazz | Roland® Jc-120 |
| 2x12 Class A | 1967 Vox® AC-30 |
| 4x10 Line 6 | Line 6 4x10 |
| 4x10 Tweed | 1959 Fender® Bassman® |
| 4x12 Line 6 | Line 6 4x12 |
| 4x12 Green 20's | 1967 Marshall® Basketweave with Greenbacks |
| 4x12 Green 25's | 1968 Marshall® Basketweave with Greenbacks |
| 4x12 Celest T-75 | 1978 Marshall® with stock 70s |
| 4x12 Celest V-30 | 1996 Marshall® with Vintage 30s |
| 4x12 Treadplate | 4x12 Mesa Boogie® |
| 1x15 Thunder | 1x15 Supro '62 Thunderbolt |
| 2x12 Wishbook | 2x12 Silvertone® '67 Twin Twelve |
| No Cab | You will probably want to use this Cabinet model with the Tube Preamp model for non-guitar sources. It is selected by default when you pull up the Tube Preamp Amp Model. |

**All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. FENDER®, CHAMP®, DELUXE REVERB®, TWIN REVERB®, and BASSMAN® are registered trademarks of Fender Musical Instruments Corporation. GIBSON® is a registered trademark of Gibson Guitar Corp. VOX is a registered trademark of Korg Europe Limited. MATCHLESS® is a registered trademark of Matchless, LLC. ROLAND® is a registered trademark of Roland Corporation. MARSHALL® is a registered trademark of Marshall Amplification PLC. MESA/BOOGIE® is a registered trademark of Mesa/Boogie, Limited. SILVERTONE® is a registered trademark of Samick Music Corporation.*

EFFECT MODEL DETAILS

 This symbol indicates Models from the FX Junkie Pack, included free with PODxt Live. visit www.line6.com/modelpacks to learn about other available Model Packs.

What guitarist doesn't like stomp boxes and effects? PODxt's got a bunch of great stomp box and effect models adapted from Line 6's DM4 Distortion Modeler, MM4 Modulation Modeler, and DL4 Delay Modeler pedals, and some brand spankin' new models that come straight from our flagship combo, Vetta. You'll also find the ol' standby's like Ping Pong and Stereo Delay, as well as important tone shapers like Comp and Gate. Who says you can get too much of a good thing?

In this chapter, we'll have a look at just which stomp boxes and effects are modeled, and talk about the special possibilities each one holds. So hold onto your hats and glasses, and please keep your hands and feet inside the car at all times...

6•1

Comp

The Compressor effect available from the Comp button is just the thing when you want to smooth out your levels the way that you would typically do in a recording studio. The thres (Threshold) knob determines how aggressive you want the Compressor to be in smoothing things out. More negative numbers make the Compressor more active in taming your levels, so -32dB is a more aggressive setting than -16dB, say. The Gain control controls (what else?) gain, so that even when you're really squashing your signal with an aggressive threshold setting, you'll be able to get good volume levels out of your PODxt.



Gate

The Gate effect helps eliminate unwanted noise when you're not playing, and can be especially valuable when using high gain sounds. Like a security gate, it's supposed to quickly open to pass the things that you want, and then swing closed to keep out the things that you don't want. Turn the **THRESH** all the way down to minimum to disable the Gate (**THRESH**'s value will then be off, as shown above). The **THRESH** knob determines how loud your playing has to be to open the gate. More negative numbers (where the knob is near its fully-counterclockwise setting) mean that the gate will open and allow sound through even when you are playing quietly, and less negative numbers (where the knob is near its fully-clockwise setting) mean that the gate will only allow sound to pass when you are playing pretty hard. The **DECAY** knob determines how fast the gate will swing closed. Like a gate in the real world, a fast decay means the gate might catch your trailing foot as you pass through—in this case, that means the gate will chop off the decay of your notes. And a slow decay means that as the gate swings slowly closed behind you, someone might have time to slip through behind you—in this case, that would be the unwanted noise that you hear as your notes decay. You'll have to experiment with the **DECAY** to get just the right happy medium for your particular guitar, playing style, and sound settings.

The Stomp Effects: Fuzz, Distortion, Overdrive

Back before fuzzes, distortions, and overdrives, guitar players used to do stuff like slice speakers with a razor blade to get that raunchy, distorted, lovely sound (check out Link Wray's 'Rumble' for an example). While it sounded great, it did make it impractical to turn around and play a nice smooth ballad on the same amp. Enter the 'fuzz' box...

Facial Fuzz



6•3

Sometime in late 1966, an infamous circular stompbox hit the London music scene. Designed and built by Arbiter® Music, the Fuzz Face would soon begin its famous association with guitar legend Jimi Hendrix.

Like all stompboxes from the early era, the Fuzz Face would see many design changes, as well as re-issues. Our model is based on* the germanium diode-powered treasure pictured here: an original, very early “gray with black screening” Arbiter Fuzz Face. Call the PODXT Facial Fuzz model up, and treat yourself to our faithful re-creation of the original's fuzz and glory. Crank up the drive, and you'll be seeing Purple Haze right before your eyes.

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. ARBITER® is a registered trademark of Arbiter Group PLC.

Fuzz Pi



6•4

Not to be outdone by the Brits, the colonies came up with their own twist on the fuzz rage. Mike Mathews and his band of merry men at Electro-Harmonix® had been cooking up all sorts of nifty effects when their attention turned to the distortion/fuzz pedal. Their most popular offering—which this model is based on*—was the Electro-Harmonix® Big Muff Pi®, known more for its sweet sustain than for its buzz.

Electro-Harmonix® was famous for their use of surplus parts, and the results of this practice were ever-changing circuit designs and parts specs. As you can see in the picture of our collection of Big Muff®, these pedals had several looks determined by the parts that Mike and the gang found at hand. Our sweetheart of the bunch is the one in the middle, known as the “triangle knob pattern” model. We know you’ll agree, there’s nothing like a slice of Pi.

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6’s sound model development. ELECTRO-HARMONIX® and BIG MUFF PI® are registered trademarks of New Sensor Corporation.

Screamer



6•5

From Stevie Ray Vaughan to Michael Landau, the simple Ibanez® Tube Screamer® is the overdrive heard round the world. This medium-gain pedal was introduced in the early '80s, and in many blues circles, you're not allowed to solo without one.

Over the years, Ibanez® issued several variations of the venerable Tube Screamer®, but none have reached the fabled status of the TS-808. Of course, we obsessed over which of our vintage 808s to model, and in the end we think you'll agree that our model based on* this classic green jewel makes a precious addition to PODXT.

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. IBANEZ® and TUBESCREAMER® are registered trademarks of Hoshino Gakki Co. Ltd.

Classic Distortion



6•6

Born and bred in the late '70s, the ProCo Rat (which this model is based on*) was the beginning of a new generation of distortion boxes. With a sound that was angrier and more aggressive than a fuzz, the Rat put teeth into a new breed of metal that was beginning to crawl to the surface of the music scene.

Through its life span, the Rat has seen several changes, and the unanimous choices for tone are the originals pictured here. Inside, these two Rats use the same board, and their circuits are identical. (For those that need to know, we modeled the smaller one.)

The **TONE** knob on this model functions like the original Rat's "filter" control, which gives you brighter tone at lower settings, and darker tone at higher settings. Once bitten, you'll know why we call this one tone with teeth!

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development.

Octave Fuzz



6•7

What was that? If it sounded like a phantom guitar possessed by The Ghost of Great Guitarists Past, then it probably was a Tycobrahe Octavia—or this model based on* that classic effect box.

The Octavia is an example of a fuzz+octave effect. One pioneering user of this type of effect was Jimi Hendrix. The Tycobrahe Octavia in particular was used by Jeff Beck, and continues to be an essential part of Michael Landau's tone making tool kit.

The Octavia uses an audio output transformer and two germanium diodes to rectify (a fancy word for whack) the guitar signal, thus creating the high octave type sound. For our model, we studied the sweet-sounding original pictured here. We knew we had a keeper when every guitarist in the building wanted to take it home for a little of their own after hours “research.”

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development.

Bass Overdrive

This model was inspired by our look at the Tech 21 Bass Sans Amp, plus a few extra liberties taken by the Line 6 sound design team. The Sans Amp is famous for delivering a very quiet and crisp signal under all circumstances, while also serving up a very distinct distortion. Its pleasingly metallic quality makes it a favorite with the Post-Metal crowd and Industrial bands, and producers in all genres of music have come to favor the Bass Sans Amp for crunching up loops. The Bass Overdrive covers the same sort of territory, with a bit of a uniquely Line 6 bent. Choose this distortion for your bass or any other signal and it will immediately become a very close and furry friend. Note for non-bass players: this stompbox absolutely rocks on signals other than bass. No, really, try it.

Bronze Master

The Maestro[®] Bass Brassmaster is considered by many to be the Holy Grail of bass distortion units, and ultra-rare bird designed in the early '70's for Maestro[®] by synth genius Tom Oberheim. It showed up on Chris Squire's gear list in a mid-70's Yes tour program. In fact, the Brassmaster was the first distortion unit we can think of designed primarily with the bassist in mind, and man, did Mr. Oberheim get it right! The original has a fairly elaborate set of controls, include two separate volumes and toggles for accentuating different harmonic voicings. We weren't able to make an exact duplicate of some of that complexity when creating the Bronze Master for your PODXT, but you'll find that this model does give you a luscious palette of super-sweet bass fuzz in the style of the Brass-Master, with righteous distortion that doesn't take away that all-important low end. For guitar players, think of it as somewhere between an Octave Fuzz and a synth. You can get positively freaky with this one.

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. MAESTRO[®] is a registered trademark of Gibson Guitar Corp.

Stomp Effects: Compressors

A compressor takes quiet sounds and loud sounds coming into it, and makes them have a more similar volume, so the loudest sounds aren't so loud versus the quiet sounds, and the quiet sounds are closer to the level of the loudest sounds. The result is that a compressor can be set to keep boosting the level of your guitar signal as a note dies away, giving your guitar a longer note decay. In other words, plop a stomp box compressor down in front of an amp and you've got an instant sustain enhancer! As a side benefit, the compressor evens out your attacks and enables you to make up some gain (so you can hit the front end of your amp a bit hotter, but without extra before-the-amp distortion that a distortion box would create when boosting input level to your amp). We've provided you with a number of stompbox compression options in PODXT, so you can squash your signal 'til the cows come home.

Blue Comp



Roland®/Boss® jumped on the compressor stompbox bandwagon with the CS-1 Compression Sustainer. It has a fixed ratio, so the PODXT model based on* it has the **SUSTAIN** control varying the threshold of the compressor circuitry. **LEVEL** does what you'd expect.

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. BOSS® is a registered trademark of Roland Corporation.

Red Comp



6•10

Probably the most widely used stompbox compressor, and pretty much the standard against which others are judged, the MXR® DynaComp has a fixed compression ratio with variable threshold and gain, which is what you get in the PODXT model based on* this classic workhorse pedal.

The **SUSTAIN** knob varies your compression threshold, and **LEVEL** varies your (wait for it) level.

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. MXR® is a registered trademark of Applied Research and Technology, Inc.

Vetta Comp

A Line 6 original, Vetta Comp has a fixed ratio (2.35:1, in case you're asking) with the threshold (that would be your **SENS** knob) adjustable from -9dB to -56dB and up to 12dB of gain available at the level **KNOB**. In other words, turn the **SENS** knob til you like the way your signal's compressed, then set the volume with **LEVEL**.

Auto Swell

This effect is an envelope generator, similar to the Boss® SG-1 Slow Gear and other pedals. Each note or chord that you play ramps up. You can dial in the ramp time here to give you the kind of 'bowed' attacks that might otherwise require you to have your pinky rolling the volume knob on your guitar with every pick attack. Longer ramp times in combination with delay and reverb can keep you occupied for a pleasant hour or two, seeing what kind of chords you can come up with to blend into each other. You've got **RAMP** time to set over how long the swell takes to happen, plus **DEPTH** to determine how much the volume of your attacks is reduced.

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. BOSS® is a registered trademark of Roland Corporation.

Auto Wah



6•12

What self-respecting filter-junkie would be without a Mu-Tron III envelope follower? Part auto-wah, part triggered filter, it's all about wacky, and this model based on* the Mu-Tron III gives it to you both coming and going. Go ahead – unbutton that shirt, put on the flares, and get down with your bad self!

The **SENS** knob varies the filter's response to your playing, and **Q** adjusts the filter's width.

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development.

Killer Z

Since about 1989 the Boss® Metal Zone® MT-2 has been the industry standard distortion pedal for metal players. Equipped with a dual gain circuit, the MT-2 provides amazing sustain plus heavy mids and lows similar to a stack of overdriven amps. We've simplified the EQ controls a bit to make the Killer Z model for your PODxt Live, but you'll still find the sought after flavor of the MT-2 that it's based on*.

Tube Drive

Designed by keyboardist Brent Butler, the first Chandler Tube Driver was born to add grind and girth to his Farfisa. Brent was also the father of one of the rarest overdrive boxes—the Mini Matrix (aka Mini Boogie). But it's his Tube Driver that drives us crazy.

Utilizing a single 12AX7 preamp tube, the original Chandler Tube Driver delivers the sweet singing sustain craved by guitarists worldwide, and has been a staple of Eric Johnson's rig since the mid '80s.

Our model based on* this classic offers sweet tone, with our bass and treble emulating the Hi and Lo EQ controls of the original. To further enhance your tone shaping options, we added an optional mid control that allows you to boost or cut the mids to tailor the tone for you and your guitar. mid in the 12 o'clock position has no effect.

Vetta Juice

A Line 6 original originally created for our flagship Vetta II guitar amplifier, the 'Juice' in Vetta Juice comes from the 30dB of available gain in the level knob. Holy smokes, this thing's packin' some heat! It's got a fixed threshold of -40dB with the sens knob varying compression ratio from 1.5: 1 all the way up to 20:1 (which is a whole heck of a lot).

This combination of design features gives you the option of cranking the level enough to get some serious gain boost, or setting the gain lower and dialing up a smooth, clean sustain. Take your pick, and dial away.

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. BOSS®, METAL ZONE® and ROLAND® are registered trademarks of Roland Corporation.



Boost+EQ

The name pretty much says it all. This is a stompbox compressor that also provides you with some EQ controls so you can further shape the tone. Since this EQ is applied before the amp processing, it has a different tonal effect — especially if you're using a strongly overdriven Amp Model — than it would if applied with the dedicated EQ block of PODxt Live processing. Many players, in fact, rely on stompbox EQ like this to get their specially tailored sound from their amp.

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. BOSS® and ROLAND® are registered trademarks of Roland Corporation.

The Stomp Effects: Synths and Filters

The rest of the Stomp effects are synths and filters. All of these effects that have a **WAVE** parameter allow you to choose between 8 different waves. These are basically 8 different presets from the style of synth the name infers. The **MIX** control is the same as all other effects, a wet to dry ratio.

The **FILTER** available on some of these effects is a “low pass” filter: frequencies above the low pass filter frequency are cut. **FILTER** picks the frequency of the low pass filter. Turn it to the left to lower the frequency, and less high frequencies get through. Turn right to raise the frequency of the filter so more high frequencies get through.

The **ATTACK** has a minimum setting of 10ms and a maximum setting of 300ms. A lower setting makes for a faster attack, while a higher setting makes for a slower attack. The higher the setting, the more substantial the affect. For more staccato style scales, try setting the attack to the minimum value.

6•15

Dingo-Tron

This is similar to the sound of a Mutron III (modeled for PODxt Live’s Auto Wah model) when you flip the “down” switch. It’s kind of like a reverse auto wah. Pick hard to get the most out of this effect.

Clean Sweep

This is a wide range sweeping filter with a slow decay. It’s similar to Auto Wah, but with a band pass filter shape. Try setting the **DECAY** all the way up, the **SENSitivity** half way up and the **Q** all the way down.

Seismik Synth

This effect has an oscillator that tracks the pitch of your guitar. You can choose between 8 different wave shapes which give you different “flavors” – all of them one or two octaves down from the original pitch. DEATH TO ALL SUBWOOFERS!!

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6’s sound model development.



Double Bass

This effect has two oscillators that track the pitch of your guitar. One square wave tuned one octave down, and one saw tooth wave two octaves down. The parameters on page 2 are gain controls for each oscillator.



Buzz Wave

These are cool combinations of saw and square waves with fast vibrato. The 8 different **WAVE** parameters offer different vibrato speeds and different pitches.



Rez Synth

These are all sweeping low pass filter effects with the resonance set high. Resonance is a peak at the frequency of the low pass filter.



Saturn 5 Ring M

Ring modulators take two signals (one from your guitar, the other generated), then add and subtract similar frequencies. Electro-Harmonix® makes a ring modulator pedal called the Frequency Analyzer that is a popular guitar effect. But the pitch it generates is constant, so you must stick to that pitch's key to be musical. In a GIANT leap forward for ring modulator effects, Saturn 5 RM “tracks” the pitch of your guitar signal so you can use it in ANY key! The **RM/AM** parameter on page 2 sets the amount of ring modulation.



Synth analog

These are great for funky synth guitar (or bass) lines! These sounds were made popular by Moog and ARP.



Synth FX

These sounds aren't really designed to be musical. These are more “special effects” sounds. You'll hear a lot of these kinds of sounds in movie sound tracks.

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. ELECTRO-HARMONIX® is a registered trademark of New Sensor Corporation.



Synth Harmony

If you loved those big synth leads from 70's era prog bands then you'll love this effect. There are two synth waves at work here. Your first two parameters allow you to choose a pitch interval of your original note played. Your wave parameter works differently from what you'd expect with the other synth models. Here the wave parameter controls the gain of the saw wave, while the square wave gain remains constant.



Synth Lead

These are styled after popular analog monophonic synth lead sounds from Moog, ARP and Sequential Circuits.



Synth String

This emulates classic synth string sounds like those found in the ARP Solina String Ensemble and the Elka® Synthex. The harder you pick, the brighter the sound.

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. ELKA® is a registered trademark of Generalmusic S.p.A.

The Wah Pedals

PODXT offers 8 different wah pedal models. “What’s that?”, you say, “8 models? Why so many?” Well, guitar players being guitar players. and despite the fact that the basic circuit designs of most of them are remarkably similar, there’s as much difference of opinion over which wah pedal is the ultimate as there is over which amp is, or over whether the bass player should pay for the pizza delivery (the answer, by the way, is always yes. It was a trick question). One person’s ‘thin and whiny’ is another person’s perfect wah and all that sort of thing. So, in the interest of balance and variety (and because they each sound cool in their own way), we present for your edification and enjoyment:

Vetta Wah

This is the original PODXT/Vetta Wah Model, from back in the dark ages when a PODXT and Vetta had only one Wah model. ‘Course, nowadays you’ve got a whole crowd of additional models to choose from:

Fassel

Based on* a Cry Baby Super made by Jen Electronics. Jen Electronics in Italy manufactured wah pedals for many companies, including Vox®, Thomas Organ, Arbiter®, and others. This particular pedal has the highly desirable mojo of the Fasel (an Italian manufacturer of electronic components) inductor. Some have credited the unique saturation characteristics of the Fasel inductor to the fact that it was a really cheaply made component. Go figure.

Weeper

Modeled after* an Arbiter® Cry Baby, this is yet another variation on the original Vox® wah design. The biggest variation between many of these wah pedals is the inductor and the tolerances of the capacitors and resistors that make up the filter circuit. Just like vintage guitar amps, two of them made on the same day, by the same person, from the same parts bin might sound totally different. As always, we went for the best examples we could find.

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6’s sound model development. VOX® is a registered trademark of Korg Europe Limited. ARBITER® is a registered trademark of Arbiter Group PLC.

Chrome

Based on* a Vox® V847. This pedal was a reissue of the original 1967 Vox® V846 wah pedal, which was the successor to the original Clyde McCoy wah (Clyde McCoy was a trumpet player who had asked Vox® to make an effect that would make a keyboard sound like you were using a plunger mute on it. Guitar players everywhere thank him).

Chrome Custom

Based on* a modded Vox® V847 that belongs to one of the Line 6 crew. This pedal had the gain staging on the first transistor stage tweaked, a aftermarket Fasel inductor, the Q widened at the top end, and the 100k pot replaced with a 470k pot to better match the original V846 specs.

Throaty

Based on* the RMC Real McCoy 1. For many guitarists, the original Vox® Clyde McCoy signature (or even rarer, picture) pedal is the ‘holy grail’ of wahs. Geoffrey Teese of RMC did a lot of research, even tracking down a supply of the original ‘stack of dimes’ inductors and having pots that duplicate the taper characteristics of the original ICAR parts to produce a clone of these highly sought-after wahs.

Conductor

Based on* the Maestro® Boomerang - According to the original Maestro advertising material, this was not a ‘wah-wah’ pedal, but a ‘wow-wow’ pedal. Po-tay-to - Po-tah-to. In 1968 or so, Maestro went to Richard Mintz of All Test Devices, who had first become known for his design of a sustainer for Leslie West, and hired him to redesign most of their effects units. This pedal was Curtis Mayfield’s choice for wah, so it’s perfect for R’n’B ‘wacka-wacka’ retro madness.

Colorful

This model is based on* the wah part of a vintage Colorsound Wah-Fuzz. The Color-sound is different from the other wah pedals here in that it was an inductor-less design. For you non-electronics minded folks, this basically means that it used a different type of circuit to get its frequency resonance and would saturate (distort) in a different manner than the inductor-based designs.

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6’s sound model development. VOX® is a registered trademark of Korg Europe Limited. MAESTRO® is a registered trademark of Gibson Guitar Corp.

The Modulation Effects

Modulation effects are things that swoosh, pulse and warble—from phase shifters to flangers to choruses. Why are they called modulation effects? Well, if we consult a dictionary, we discover that ‘modulate,’ in the electronic world means to “alter the amplitude or frequency of (a wave) by (using) a wave of a lower frequency to carry a signal” (definition courtesy of *The Oxford Encyclopedic English Dictionary, Third Edition*, thank you very much). That modulating wave is what causes all that swooshing, pulsing, and warbling.

For Modulation effects, there are controls for **SPEED** and **DEPTH**. **SPEED** controls how fast (or slow) the modulating waveform sweeps. **DEPTH** controls the overall amplitude of the modulating wave, which usually determines just how intense the effect will be. There’s always a **MIX** control, and sometimes there are also other controls, as you’re about to learn...

6•20

Sine Chorus

Your basic digital chorus (as opposed to the analog type vibe of the Analog model), with a sine wave as the modulator. Smooth going down, with **BASS** and **TREBLE** controls for bassing and trebling.

Line 6 Flanger

Cooked up in the Line 6 labs, this creation really shines when you set **CONFIG** to **POST**, letting its stereo sweep offset serve up luscious harmonic shimmer.

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6’s sound model development.

Opto Trem

This one is based on* the optical tremolo circuit that was used in the blackface Fender amps, like the '64 Deluxe® and '65 Twin Reverb®. Basically a light bulb and a photo-resistor, when the light got brighter, the tremolo got louder. It's a very smooth, even tremolo, and the obvious choice for use with the amp models that are based on Fender originals.

Bias Trem

One of our long time favorite pieces of 'Rube Goldberg' engineering, the old Vox® tremolo (and a similar circuit in some blonde and brown Fender amps) got its pulse by literally varying the bias of the power amp tubes. While this tended to reduce the life span of the output tubes in these amps, it gave a beautifully liquid, uneven, and rather 'lumpy' sound that bears a distinct resemblance to a Uni-Vibe or other phase shifter (mainly because treating the tube bias in such a cavalier manner actually caused some phase shift to occur). Ad of course, that's what you'll get from this model is based on* those classic circuits.

Auto Pan

Also known as a panner, this effect makes your sound go back and forth between the left and right channels. Sure to keep you up late at night.

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. FENDER®, TWIN REVERB® and DELUXE REVERB® are registered trademarks of Fender Musical Instruments Corporation. VOX® is a registered trademark of Korg Europe Limited.

Analog Chorus



6•22

The PODxT wouldn't be complete without a model based on*the original stompbox chorus, the Boss® CE-1 Chorus Ensemble. The CE-1 came onto the music scene in 1977 and made waves with its big, warm and groovy chorus tones. It quickly found its way onto Andy Summers' pedal board and then into our homes via the classic albums recorded by The Police. The CE-1's controls included **SPEED**, **DEPTH** and a switch to go from chorus to vibrato mode (see below). The CE-1 is spacious, and sounds great feeding into a distorted amp.

The PODxT CE-1 model is every bit as warm and gooey as its inspiration. Dial up some lush landscape and enter into chorus heaven.

“Hey, wait a second!” you say, “The original CE-1 had a cool pitch vibrato mode, too. Whatcha gonna do about that?” Well, no worries, mate, we've got you covered. Since a chorus is, when you come right down to it, a pitch vibrato mixed with a dry signal, what the vibrato mode switch on a CE-1 did was simply turn off the dry signal. To get that effect here, just set the **MIX** knob to 100% wet (in other words, crank it all the way up), and, presto change-o, you've got vibrato. You can use the **DEPTH** knob to get as seasick as you want, too.

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. BOSS® is a registered trademark of Roland Corporation.

Jet Flanger



This is our model based on* the A/DA “studio quiet” Flanger. Introduced in 1977, this stompbox has a sweep range of 35-to-1 and a built-in compressor that work together with the tone circuitry to give the A/DA its signature jet-like sweep. It can be very dramatic with its unique wave shape and ability to create almost ring modulator-like effects at extreme settings.

When the model of the A/DA Flanger is selected for editing on POD_{XT}, the knob below **DEPTH** controls the sweep range. **FDBK** adjusts feedback (in other words, how much of the effected signal is fed back to the input of the effect), and the **MANUAL** knob controls the length of the very short delay that’s applied to the sweep to make the flanging effect happen.

Plug in, spin up the **DEPTH** and **FEEDBACK**, and get ready for take-off!

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6’s sound model development.

Phaser



6•24

The unassuming metal box pictured above is the phaser that changed the world—the MXR® Phase 90. The Phase 90 is relatively subtle compared to other phasers, and when you use it, it becomes part of the overall guitar tone rather than trying to grab the spotlight all to itself. Its lush, organic, and groovy swirl can be heard all over the first two Van Halen albums, as well as Jimmy Page’s work on Physical Graffiti.

The Phase 90 is a four stage phaser; its single knob controlled only speed. PODXT’s Phaser model based on* that MXR® classic gives you additional flexibility with a mix control and a **FEEDBACK** control to adjust the intensity of the effect.

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6’s sound model development. MXR® is a registered trademark of Applied Research and Technology, Inc.

U-Vibe



6•25

The now-legendary Uni-Vibe that this model was based on* was put on the map in 1969 by Jimi Hendrix. Essentially a four-stage phase shifter, the Uni-Vibe is best known for its watery texture and sultry tones. One listen to “Machine Gun” and you’ll know what we mean.

As with the Analog Chorus model’s stealth vibrato mode, you can recreate the effect of the original Uni-Vibe’s vibrato switch by turning the **MIX** control to 100% wet. (That’s what the switch did on the original.) The **DEPTH** control acts like the Uni-Vibe’s “Intensity” knob.

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6’s sound model development.

Rotary Drum+Horn



6•26

Fine furniture and cool tones—the Leslie® 145 gave you both at once. This tube-driven behemoth (you definitely don’t want to try picking one up on your own) features a belt-drive rotating high frequency horn along with a downward-facing 15-inch speaker that had a segmented drum spinning under it to disperse the sound. It was originally designed to be used with electric organs like the Hammond® B3, but once guitarists (and even vocalists!) heard it, they just had to get in on the rotate-o-rama. Our model based on* the classic gives you all that whirligig glory, without giving you a herniated disc.

The **SPEED** knob for our model based on the Leslie® acts like the Fast/Slow switch that came on the unit’s preamp, ramping between the two speeds. This effect also gives you **TONE** and **MIX** settings. For the truly authentic kind of spin that a Leslie delivers, you’ll want to set the **MIX** knob to max, since a Leslie® had no ‘dry’ path.

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6’s sound model development. LES-LIE® is a registered trademark of Suzuki Musical Instrument Manufacturing Co. Ltd. HAMMOND® is a registered trademark of Suzuki Musical Instrument Manufacturing Co. Ltd..

Rotary Drum



6•27

When they noticed that guitar players had started using Leslie[®]s, Fender[®] decided to come out with its own, guitar-specific whirling dervish of a tone machine. Dubbed the Vibratone, it used a styrofoam baffle spinning in front of a 12-inch speaker, kicking all the sound out the sides of the box. One of the best known examples of a Vibratone tone is Stevie Ray Vaughan's classic 'Cold Shot'.

The editing controls for this model based on* the Vibratone are the same as for the Rotary Drum+Horn model. Take it for a spin!

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development.. LESLIE[®] is a registered trademark of Suzuki Musical Instrument Manufacturing Co. Ltd. FENDER[®] is a registered trademark of Fender Musical Instruments Corporation



Analog Square

A basic digital chorus, like the Sine Chorus, only in this case there's a square wave acting as the magical modulator. As you'll hear, using a square wave gives you more sudden changes in the chorusing, and is slightly less smooth than the sine wave. Try 'em both and see what suits you. The bass and treble controls make an appearance here on page 2. This should be a good choice for country chicken pickin' licks.



Square Chorus

This one's a bit smoother than the Analog Square, but the basic vibe is similar, thanks to the square wave modulator at the heart of the effect. You'll find bass and treble controls for a bit of extra tone tweaking when desired.



Expo Chorus

A Line 6 creation, the "Expo" in this flanger stands for exponential, which is a fancy way of saying that the sweep of the flanging spends extra time in the 'swooshy' part of the flanger.



Random Chorus

This chorus uses three different modulating filters all running randomly. A very busy chorus sound to be sure.



Square Flange

This the same as the Line 6 Flanger, but using a square waveform instead of a sine wave.



Expo Flange

Here's that exponential sweep we first found in the Expo Chorus, this time applied to a flange effect. The feedback and pre-delay knobs on Page 2 can help you keep it in check or make it as strange as you want. We think you know which way we're leaning on that one.



Lumpy Phase

A Line 6 original, Lumpy Phase is exactly that—'lumpy.' Kinda like a Uni-Vibe, but more radical. It also has some built in overdrive and more of a 'flange-y' type of sound due to our clever blending of a short delay into the swept signal. bass and treble knobs on page 2 give you extra flexibility.

Hi Talk

The Line 6 tone chfs managed to combine a moog-like filter and a rotary speaker in a touch-sensitive, tap-tempo package. As a result, the Hi Talk can make heads spin with its high-passed filtered frequencies. Try this one to dress up some mean distortion!

Sweeper

Imagine having 2 wah pedals on steroids separated in a stereo field that are pulsating in opposite positions and you're close to what you'll hear here. Use the q and freq to set the character of the sweep and adjust your depth to go from subtle to full on freak out. Any resemblance to guitar tracks heard in a particular genre of B films is strictly coincidental.

POD Purple X

This is definitely a “sound effect.” We wanted something crazy that had a “broken” sound to it. If played properly you can emulate the sound of a Pod Racer from Star Wars Episode I.

Random S H (Sample and Hold)

This has a similar effect as the old Oberheim® Voltage Controlled Filter. It creates changes in tone by randomly emphasizing certain frequencies. Try locking this effect to the tap tempo and playing single chords to that tempo. This effect is so inspiring, you'll probably write a few new tunes based around the effect.

Tape Eater

If you've ever had a cassette player eat a tape before you'll know what we're talking about. After fixing the tape (if you're lucky!) and reinserting it in to the player it always had a warbled sound on that section of the tape. Now think of your guitar tone being recorded on that section of the tape! That's the crazy effect we were after. Try this with a slow speed setting and a 100% wet mix.

Warble-Matic

This effect is reminiscent of the Sweeper model, but when used subtly it can produce a nice mild phasey sound or with the depth maxed you can simulate the sound of an alien spacecraft landing in one of those old 50's sci-fi movies!

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. OBERHEIM® is a registered trademark of Gibson Guitar Corp.

The Delay Effects

Analog Echo



6•30

Analog echo units like the DM-2 were designed as improvements over the tape echoes that came before them, using “bucket brigade” electronics to give guitarists echo units that were more reliable than the tape-based delays, with the added advantage of a low-power circuit that can be run on batteries.

Analog delays are treasured for the warm, distorted tones they produce, and PODXT’s model based on* the Boss® DM-2 gets you the same sort of thing in a new digital realm of existence.

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6’s sound model development. BOSS® is a registered trademark of Roland Corporation.

Analog w/Mod



6•31

Here's a model based on* the Electro-Harmonix® Deluxe Memory Man which is a pedal that uses the “bucket brigade” electronics of other analog echoes, and adds a chorus circuit to boot. This adjustable chorus is applied to the echoes only, leaving the direct sound unaffected.

The Memory Man, with its warm, distorted tone and swimming echoes, became an important tool for many guitarists, and was an essential part of the guitar sounds for the first U2 album.

Part of the Deluxe in Deluxe Memory Man was the increased delay time of 500 milliseconds. Your PODXT's Analog w/Mod emulates that classic Memory Man tone with the added advantage of 2 seconds of delay time.

On page 2, you'll find the **MOD SPEED** and **DEPTH** control to set up the chorus on the delays.

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. ELECTRO-HARMONIX® is a registered trademark of New Sensor Corporation

Tube Echo



6•32

The classic 1963 Maestro® EP-1 that this model is based on* was the first of a series of “Echoplex” designs distributed by the company, and made by Harris-Teller in Chicago. As touted in a Maestro® advertisement, the Echoplex’s “...special effects range all the way from a controlled high speed reverberation to a full, throbbing echo”!

The main feature of the Echoplex design is a special cartridge of looped 1/4-inch audio tape that wraps past separate record and playback heads. The position of the playback head can be moved to adjust the delay time from 60 to 650 milliseconds. PODXT’s EP-1 model emulates the classic Echoplex tone with the extra advantage of up to 2 seconds of delay time.

On page 2, you’ll find **FLUT** (wow and flutter) and **DRIVE** controls so that you can not only dial up some tube warmth like the original, but add that unique sound of a slipping, dirty capstan as well.

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6’s sound model development. MAESTRO is a registered trademark of Gibson Guitar Corp.

Multi-Head



Long before Boss® pedals, the RE-101 Space Echo (which this model is based on*) was Roland®'s first venture into the world of effects processing. Instead of having one movable playback head (like the Echoplex) this machine has multiple stationary heads. You change delay times by switching amongst these heads, and then fine-tune delay time with a motor speed control. The groovy part is that you can play back on multiple heads at the same time to get multi-tap delay effects.

6•33

Page 2 controls includes a control for **HEADS**, which enables you to choose from the available combinations of the Multi-Head model's 4 virtual tape heads. There's also a **FLUT** (wow and flutter) control like the Echoplex EP-1 model.

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. BOSS® and ROLAND® are registered trademarks of Roland Corporation

Sweep Echo

This model is a Line 6 original. It first appeared on our DL4 Delay Modeler and has turned out to be a special favorite amongst the many DL4 users that we've spoken to.

The Page 2 knobs adjust the speed and depth of the sweeping filter part of the effect. sweep **SPEED** sets how fast the filter sweeps, and sweep **DEPTH** sets the range of frequencies that the filter affects, allowing you to create and explore your own shifting landscape of tonal possibilities. There's both subtle texture and serious weirdness to be found in this one. Try assigning one of the FBV pedals to control the Mix, and use a relatively short delay for some fun.

Digital Delay

This model is a straight up digital delay with **BASS** and **TREBLE** tone controls (located on Page 2, of course). Nothing fancy here, just basic echo-cho-cho-cho. After all, it's good to cleanse the palate every once in a while.

Stereo Delay

Ever asked yourself, “How did The Edge (U2) get that groovy sound on Where the Streets Have No Name”? Stereo delays, my friend. It's the secret to many a U2 song, as well as the “Big L.A. Solo” sound of the late '80s. Set one side as a fast echo with many repeats, and the other as a slow delay with just a few repeats. Voila, you're famous!

Run this effect post in order to hear it in stereo, with one delay on the left, and another on the right. The **TIME** parameter sets the left delay's time, while **OFFSET** sets the right delay time as a percentage of the left. So, if you set **TIME** to 500ms, and **OFFSET** to 50%, your right delay time will be 50% of 500ms—in other words, 250ms. Ignoring the particular value of the left delay time, 50% just means that your right delay happens in half the time. So if you think of the left delay as a quarter note, the right delay is an eighth note. The second page of parameters for this model gives you independent left and right **FEEDBACK** controls, so for instance you can have your left delay feedback set low for a small number of repeats, while the right feedback is set high to give you a large number of repeats.

Ping Pong Delay



6•35

The Ping Pong Delay is the one delay that can be run as a Post Delay Effect, but not as a stompbox (since this kind of delay requires a stereo output to do its stuff). It has two separate channels of delay, with the output of each channel flowing into the other, going back and forth like a game of ping pong.

The **TIME** knob on Page 1 sets the time for the left side delay line.

The **OFFSET** knob on Page 2 sets the time for the right side delay line, as a percentage of the left delay's **TIME**. And **SPREAD** sets the stereo spread of the delays from mono to hard-panned left and right.

Sound too tricky? Just use the **TIME** knob (or Tap Tempo Button, if you want to set that up) to set the longer delay time you hear, and then turn **OFFSET** to adjust the shorter delay time. If you set **OFFSET** straight up at 12 o'clock, your left and right delays are evenly spaced. Then, once you've got your delay times set, use the **SPREAD** knob to adjust where the delay repeats appear in the stereo field.

Reverse Delay

!seltaeB eht dna xirdneH imiJ ekil tsuJ — Take a step back in time with your cool new reverse delay. Whatever you play in comes back out at you backwards, delayed by the time you set (up to 2 seconds). To use this little wonder most effectively, try playing a legato lick, ignoring the reverse playback as well as you can. Longer licks can translate into very cool reverse phrases. We've seen Tom Petty guitarist Mike Campbell taking advantage of the Reverse Delay on the Line 6 DM4 Delay Modeler stompbox to play a backwards guitar solo live—on a worldwide TV broadcast, no less.

When using Reverse, try setting the **MIX** knob to full (100% wetness) so all you hear is the reversed sound—instant backwards guitar solo fun.

6•36



Echo Platter



The Echo Platter model was based on* the Binson EchoRec, a magnetic platter echo used by psychedelli-clinicians like Pink Floyd. These units had a spinning metal platter, a record head, and multiple playback heads that floated on the platter. (Hey, it's kinda like a really primitive hard drive!) This delay is somewhere between the tube and solid-state Echoplexes in tone, with a different type of wow and flutter than tape delays have. Page 2 controls give you access to **WOW/FLUTTER** and configurations of the **HEADS**

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development.

Tape Echo



After the tube-based EP-1 and EP-2, Maestro® introduced the solid state EP-3, with transistors instead of tubes for the sound electronics. The EP-3 uses the same basic mechanical design as the original Echoplex, including the looped 1/4-inch tape, but does not have the tube distortion sound of the EP-1. EP-3s contributed to many classic recordings of the '70s, with a large list of avid users including Eddie Van Halen and Jimmy Page.

Unlike our EP-1 model, which gives you control of wow, flutter and distortion, this model based on* the EP-3 is designed to give you a less distorted tape emulation with adjustable **BASS** and **TREBLE** controls on page 2.

6•37

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. MAESTRO® is a registered trademark of Gibson Guitar Corp.



Lo-Rez

The first digital delay units were introduced in the early '80s. These pedals and rack boxes took advantage of emerging digital technology to provide guitarists with longer delay times. Unlike the 16 bit digital of today's CDs, and the even higher resolution provided by some audio gear (like the 32 Bit processing of your Vetta), these early digital units generally had only 8 bit resolution. Low bit resolution can create a unique sort of grunge and noise that is sometimes just the sound you're looking for, and that's why these old delays are still used to give a particular shape to the sounds that are run through them. Early model digital samplers are sometimes used in modern-day industrial and electronica to achieve these effects as well. Try this model on a low resolution setting to get that characteristic digital grunge.

The **BITS** knob, on Page 2, lets you adjust the delay anywhere from its normal sparklin', pristine 32 bit resolution down to as few as 6 truly nasty bits. Bear in mind that as you turn the knob clockwise, you're reducing the bit resolution, so maximum bit reduction is achieved when the knob is all the way up (think of it as a more control for how many less bits you want). Your direct sound, of course, stays full resolution. Tone control of the delay is also provided, via the appropriately labeled **STONE** knob.

6•38



Phaze Eko

This is a new-fangled delay dreamed up by the free thinking sound design crew here at Line 6. Starting with the basic tone of our EP-1 tape delay emulation, they've added something very much like a Uni-Vibe to the delay repeats. The result is an echo unit that gives you unique new creative possibilities for adjusting the tone of your delays with a beautiful, burbling texture. If we do say so ourselves. Page 2 gives you access to **MOD SPEED** and **MOD DEPTH**.



Bubble Echo

Bubble Echo has a Sample and Hold filter on the repeats. A Sample and Hold filter, if you haven't run across one before, takes a filter sweep (like the one on Sweep Echo), chops it up into little bits, and rearranges them semi-randomly, so that it sounds like sudden little bits of wah pedal randomly sprinkled about. Crazy, huh? Page 2 lets you get busy with the **SWEEP SPEED** and **SWEEP DEPTH**.

Reverb

When we set out to create PODXT, we devoted our fanatical modeling technology and energy for innovation to developing no-compromise reverb effects. PODXT's collection of reverb models emulate physical environments (rooms and halls), plate reverbs (which traditionally feature a big steel plate with some sort of speaker driving it, and usually multiple pickups to pick up the vibrations of the plate), spring reverbs (the kind guitar players know best), and even a couple of unique new models that you'll have to hear to appreciate.

Springs

Ahh, the 'sproing' of a good spring reverb tank. Ya say you wanna play surf music, neighbor? Well sir, you've come to the head of the stream! The only thing missing is the ugly crash when the bass player stumbles over your amp.

Lux Spring

The blackface Fender® Deluxe Reverb® amp had a two spring reverb tank, which this model is based on.*

Standard Spring

One of the many things that people have loved about the blackface Fender® Twin Reverb® over the years has been its rich, dense reverb sound. The three-spring tank offered a more complex sound than Fender's® earlier spring reverbs, and it's what this model is based on.* Go find yourself a bevy of bikini-clad beauties, wax up your board, and dig in.

King Spring

A Line 6 original, inspired by the Sealy Posturepedic. If three springs are cool, how about a whole mattress full of Slinkies? Richer, denser, wigglier. A good night sleep is guaranteed, or we'll give you your money back.

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names, descriptions and images are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development. FENDER®, DELUXE REVERB®, and TWIN REVERB® are registered trademarks of Fender Musical Instruments Corporation.

Rooms

Over the years, inventive recording engineers have pressed all sorts of rooms into service as reverb chambers. Stairwells, hallways, and basements have been some of the popular choices. We've tried to present a good cross-section in your PODXT.

Small Room

As its name implies, this reverb model will give you the kind of sound you'd get when recording an amp that's mic'd up in a small room. Fortunately, unlike the small rooms that you might have handy at home, say, this room has well-tuned acoustics, no traffic noise coming from the nearby street, and you don't have to worry about the upstairs neighbors yelling, "Turn it down!"—don't you hate it when people ruin a good take like that?

Tiled Room

Think of this one as recording your guitar in the hall bathroom. All that porcelain has always made for great reverb, and lots of classic recordings were done by making the saxophone player stand in the 'necessary' and wail. Or at least that's what they told them. Sax players can be so naive.

Brite Room

A live, bright room to add life to any guitar track.

Halls

We're not talking about the passageway between your living room and bedroom. We're talking large, cavernous spaces here.

Dark Hall

A large concert hall with many reflections. This one is all about size and is great for that huge backdrop of reverb that doesn't get in the way even when turned all the way up.

Medium Hall

A medium sized hall with heavy reflections, this one is meant to be heard.

Large Hall

A very large concert hall. It doesn't get much bigger than this.

Chambers

Back in the day, there was no such thing as digital reverb. But people still wanted to be able to add more ‘room’ to the sounds they were recording. Someone got the bright idea of building a big empty room where sound bounced around nicely. They stuck a speaker in there, fed the sounds that needed loving through said speaker, and arranged microphones to pick up all the resulting ambience so it could be mixed back in with the music. These early reverb chambers all had a different personality, and some studio’s reputations were made based on their individual reverb sound.

Rich Chamber

A rich chamber great for making that crunch tone even fatter.

Chamber

Typical of a studio chamber, this reverb goes well with just about anything.

Cavernous

Okay, so it does get bigger than Large Hall. Fire this verb up and get set for a long night of dandelion dreams.

Plates

Plate reverbs were the first type of ‘mechanical’ reverb. The basic design includes a big steel plate or sheet of gold foil with some sort of speaker driving it, and usually multiple pickups to capture the vibrations of the plate.

Slap Plate

This reverb dishes up the vibe of early rock and roll recordings, like Sam Phillips’ great work at Sun Studios. Thank you very much.

Vintage Plate

A classic plate reverb that you won’t forget.

Large Plate

Well with Large Hall and Cavernous lying around, we just had to dish up a big ol’ Plate of goodness. This one makes a great bed of reverb for playing over and washes up real good with soap and water.

MIDI

This chapter focuses on MIDI communications over standard MIDI cables, using the MIDI in and out connectors on the rear panel of your PODxt Live. If you're exchanging MIDI with a computer, you also have the option of installing the PODxt Family USB Driver software (a free download from www.line6.com) and have your PODxt Live exchange these same MIDI messages with your computer over a USB cable.


MIDI Basics

What's MIDI?

MIDI (Musical Instrument Digital Interface) is a communications protocol designed to let various music-making machines exchange information. It allows one device to control another, and several devices to all be used together in coordination.

In/Out


PODXT LIVE has two MIDI connections: **In** & **Out**. You connect PODXT LIVE to other MIDI devices by connecting MIDI cables to these connectors. Each connection is a one-way street: information flows from the **Out** of one device to the **In** of another device. To allow information to flow back, you must connect a second cable, from **In** to **Out**.



MIDI Channel

MIDI allows 16 different channels of information to be transmitted and received through one MIDI cable. The MIDI channel is independent of, and has nothing to do with, PODXT LIVE's preset channels for storing individual sound programs.

You tune PODXT LIVE in to listen to a particular MIDI channel (like choosing a channel on a TV or a station on a radio), and make sure the device that you want PODXT LIVE to listen to is transmitting on that same MIDI Channel. To set PODXT LIVE's MIDI channel, press the **TUNE/SYSTEM** button (which will light up). Use the Select knob to find the MIDI page that looks like this:



Channel—Press the button under **CHANL** and start spinning the **EFFECT TWEAK** knob to change the MIDI Channel. You can choose channels 1 thru 16, or OMNI—this means PODXT LIVE will ‘listen’ on all MIDI channels, which is fine if it’s your only connected MIDI device. PODXT LIVE always accepts SysEx data on any channel, so if you are only working with Sysex data, this channel setting is only important to determine what channel your PODXT LIVE will send on.

Program Change—The PODXT LIVE allows you to process incoming MIDI Program Change messages (**PGM ON**), ignore these messages (**PGM OFF**), or pass the received program change regardless of the MIDI Output setting (**PGM ECHO**).

Output—PODXT LIVE's MIDI Out generally sends out the MIDI messages generated by your PODXT LIVE when this parameter is set to **OUT**. You also have the option of changing it to act as a MIDI Thru. When you choose **THRU** for the **OUTPUT**, PODXT LIVE will not generate any outgoing MIDI messages. Instead, it will take whatever comes in at its MIDI In and send it straight “thru” to the MIDI Out so you can get this same info to some other MIDI device. Note that in Thru mode, the MIDI Out simply passes on what’s received at its MIDI In; it does not combine PODXT LIVE MIDI messages with this incoming MIDI data.

MIDI Messages

MIDI allows for several different kinds of messages, each with a different purpose:

MIDI Program Changes—Program change messages tell a device to switch from one sound or setup to another. With PODXT LIVE, program changes change from one Channel Memory to another. So, for instance, when PODXT LIVE receives program change number 0, it will select Bank 1, Channel A. When it gets program change number 1, it will select Bank 1, Channel B. And so on, as the chart in **Appendix B** shows.

MIDI Continuous Controllers—MIDI continuous controller messages (CC for short) allow you to control a device's parameters in real time. So, for instance, you can use a MIDI controller to vary the setting of PODXT LIVE's **DRIVE** control, or the **REVERB** level. Each of PODXT LIVE's parameters are mapped to a MIDI controller, so you can take full control of your PODXT LIVE. The chart in **Appendix C** lists each PODXT LIVE parameter, the controller assigned to it, and how that controller affects PODXT LIVE. Note that the wah and volume pedals of the FBV and FBV Shortboard also transmit MIDI controller messages via MIDI when used with your PODXT LIVE.

MIDI SysEx Commands—Sysex stands for “System Exclusive.” SysEx commands are special commands that only a particular device understands—they are ‘exclusive’ to that device—as opposed to the more generic kind of program, controller, and other messages that almost all MIDI devices understand. PODXT LIVE uses SysEx to transmit its Channel Memories to another device, or to receive new Channels from another device. This exchange of data is typically called a “dump.” Note that PODXT LIVE always accepts SysEx data on any MIDI channel; your choice of MIDI channel still determines what channel your PODXT LIVE will *send* SysEx data on.

Backing Up PODXT LIVE Programs to Other Devices


While we recommend our free **Line 6 Edit** software (downloadable from www.line6.com) for backing up your memory, you can also back up to any appropriate MIDI hardware or software as described here.

It's recommended that you backup the sounds programmed into your PODXT LIVE so that you can restore them in case of some future disaster. If you want to transfer sounds from PODXT LIVE to some other MIDI device for backup (like say a MIDI file player or a hardware sequencer or keyboard workstation), things work pretty much the same way as they do for PODXT LIVE-to-PODXT LIVE transfers. You'll need a standard MIDI cable to get everybody talking.


Connect the MIDI OUT of your PODXT LIVE to the MIDI IN of the receiving MIDI device. Press **TUNE/SYSTEM** so that it's lit, and turn **SELECT** to reach the MIDI page.

Transferring All Channels - This feature will let you send all of your PODXT LIVE presets out via MIDI for a complete back-up of all your Channels:

Press **SAVE** once, and use the **SELECT** knob to scroll down to the page that looks like this:



Now press the button under **SELECT**. Turn the **EFFECT TWEAK** knob to the left (counter-clockwise) until the display reads:



Now press **SAVE** again to make the transfer. PODXT LIVE's display will say, "**SENDING SYSEX... STANDBY**," until the data transmission is complete.


Transferring Some Data - If you'd like to send a particular Channel memory out via MIDI, or just Effect Setups or Amp Models do this:

Press **SAVE** once, and use the **SELECT** knob to scroll down to the page that looks like this:




Turn the **EFFECT TWEAK** knob to select a Channel Memory, Amp Models, or Effect Setups that you'd like to transfer.


Any Channel Memory



All Amp Models (including your customized ones)



All Effect Setups (including your customized ones)



Now press **SAVE** again to make the transfer.

Restoring Data - You don't have to do anything special to restore data to your PODXT LIVE. Just send the data to PODXT LIVE via MIDI, and it will recognize and receive the data and show messages on its display to tell you what data it successfully receives.

Other Things You Can Do with MIDI

Changing PODXT LIVE Channels with MIDI Program Changes

The most basic thing to do with PODXT LIVE via MIDI is change channels. You may have a foot controller or other device that sends MIDI program change messages. Hook its MIDI **Out** to PODXT LIVE's MIDI **In**, set the MIDI Channels of both devices to be the same, and refer to the chart in **Appendix B** to see what program number on the foot controller will select which PODXT LIVE Channel. Note that both **Manual Mode** and the tuner can be selected with MIDI Program Change messages. You can also send MIDI Program change messages to PODXT LIVE from a MIDI sequencer to allow you to change PODXT LIVE sounds automatically in sync with your sequences.

Tweaking PODXT LIVE Tones with MIDI Controllers

If you have a hardware MIDI “fader box,” assignable MIDI controllers on a keyboard, or a stand-alone or computer software-based MIDI sequencer, you can take control of any PODXT LIVE parameter via MIDI. The chart in **Appendix C** lists which PODXT LIVE parameter is controlled by which MIDI Controller. Remember to make sure that the MIDI Channels have been set properly when first setting up your PODXT LIVE with the gear that will control it. **To minimize “zipper” noise when controlling parameter changes via MIDI, try making gradual, rather than sudden changes to PODXT LIVE settings.**

Full MIDI Automation of PODXT LIVE

When you use PODXT LIVE with a MIDI sequencer, you can automate any PODXT LIVE parameter using MIDI Controller messages. This allows PODXT LIVE to give you the same kind of capabilities as Line 6's acclaimed Amp Farm software plug-in software for Pro Tools TDM systems, without the Pro Tools system!

The PODXT LIVE front panel knobs all send out appropriate MIDI controllers (as do the wah and volume pedals of the optional Floor Board foot controller) that you can record into a MIDI track as you play through your PODXT LIVE along with a MIDI sequence.

Hook your PODXT LIVE's MIDI OUT to a MIDI IN on your sequencing setup. Hook the sequencer MIDI OUT to PODXT LIVE's MIDI IN, and make sure PODXT LIVE and your sequencer are set to the same MIDI Channel. Be sure you set the MIDI **OUTPUT** setting in **TUNE/SYSTEM** mode to **OUT**. Also, disable any MIDI “echo” or “soft thru” function in your sequencer so it doesn't send all MIDI coming from your PODXT LIVE right back to the it.

To allow MIDI-controlled automation, you need to set up a MIDI track in your sequencer to record the data flowing from PODXT LIVE's MIDI Out. Record-enable that track and start the sequencer recording. Slowly turn PODXT LIVE's **DRIVE** knob all the way up and

then all the way down as your sequencer records, and then stop your sequencer. Now, look at the data that's been recorded into the PODXT LIVE MIDI track on your sequencer. You'll see that you've recorded MIDI controller #13 messages. This is the controller that's assigned to PODXT LIVE's Drive parameter. Play back the recorded MIDI track as you play through PODXT LIVE (or play back recorded direct guitar audio through PODXT LIVE), and you'll hear the Drive changes that you recorded into your MIDI track. **To minimize “zipper” noise when controlling parameter changes via MIDI, try making gradual, rather than sudden changes to PODXT LIVE settings.**

MIDI Setup Trouble-shooting

Here are some troubleshooting hints for computer MIDI setups, courtesy of Line 6's own product support gurus:

1. SoundBlaster type computer cards have more than one MIDI driver. The system will usually default to the driver for the built-in synth on the card, rather than the external MIDI port. This means that you must select the correct driver before the software can see the PODXT LIVE.
2. MIDI cables must run from **out** to **in** and vice versa—connect PODXT LIVE's MIDI *In* to your computer's MIDI *Out*. Think of it in terms of the direction that information is flowing; *out* of PODXT LIVE *in* to the computer. *Out* of the computer *in* to PODXT LIVE.
3. For non-SysEx communication, your PODXT LIVE and your MIDI software/hardware must be set to use the same MIDI Channel. If you've got PODXT LIVE on channel 1, set your other device or software to channel 1 so they can communicate. You can also set PODXT LIVE's MIDI Channel to **OMNI**, and it will listen to all channels.

APPENDIX A: AMP MODELS

| Amp Model | Cab Model |
|-----------------|-----------------|
| Tube Preamp | No Cab |
| Line 6 Clean | 2x12 Line 6 |
| Line 6 JTS-45 | 4x12 Green 25's |
| Line 6 Class A | 1x12 Tweed |
| Line 6 Mood | 4x12 Green 20's |
| Spinal Puppet | 4x12 Brit V30's |
| Line 6 Chem X | 4x12 Brit T75 |
| Line 6 Insane | 4x12 Brit T75 |
| Line 6 ACO 2 | No Cab |
| Zen Master | 2x12 Line 6 |
| Small Tweed | 1x12 Tweed |
| Tweed B-Man | 4x10 Tweed |
| Tiny Tweed | 1x8 Tweed |
| Blackface Lux | 1x12 Blackface |
| Double Verb | 2x12 Blackface |
| Two-Tone | 1x10 G-Brand |
| Hiway 100 | 4x12 Green 25's |
| Plexi 45 | 4x12 Green 20's |
| Plexi Lead 100 | 4x12 Green 20's |
| Plexi Jump Lead | 4x12 Green 25's |
| Plexi Variac | 4x12 Green 25's |
| Brit J-800 | 4x12 Brit T75 |
| Brit JM Pre | 4x12 Brit T75 |
| Match Chief | 2x12 Match |
| Match D-30 | 2x12 Match |
| Treadplate Dual | 4x12 Treadplate |

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development.

| Amp Model | Cab Model |
|-------------------|-----------------|
| Cali Crunch | 1x12 Line 6 |
| Jazz Clean | 2x12 Jazz |
| Solo 100 | 4x12 Brit T75 |
| Super O | 1x6 Super O |
| Class A-15 | 1x12 Class A |
| Class A-30 TB | 2x12 Class A |
| L6 Agro | 4x12 Brit V30's |
| L6 Lunatic | 4x12 Line 6 |
| L6 Treadplate | 4x12 Treadplate |
| Variax Acoustic | 2x12 Jazz |
| Citrus D30 | 2x12 Class A |
| L6 Modern Hi Gain | 4x12 Brit V30's |
| L6 Boutique #1 | 2x12 Match |
| Class A-30 Fawn | 2x12 Class A |
| Brit Gain 18 | 4x12 Green 25's |
| Brit J-2000 #2 | 4x12 Green 25's |

All product names are trademarks of their respective owners, which are in no way associated or affiliated with Line 6. These product names are provided for the sole purpose of identifying the specific products that were studied during Line 6's sound model development.

APPENDIX B: MIDI PROGRAM CHANGES

PODxt channels can be selected via MIDI program changes. Some devices number programs starting at zero. Some start at one. We start at zero (Channel 1A) and then work our way along through the stored channels as shown in this table:

| PODxt Channel | MIDI Program Changes | PODxt Channel | MIDI Program Changes | PODxt Channel | MIDI Program Changes | PODxt Channel | MIDI Program Changes |
|---------------|----------------------|---------------|----------------------|---------------|----------------------|---------------|----------------------|
| 1A | 0 | 9A | 32 | 17A | 64 | 25A | 96 |
| 1B | 1 | 9B | 33 | 17B | 65 | 25B | 97 |
| 1C | 2 | 9C | 34 | 17C | 66 | 25C | 98 |
| 1D | 3 | 9D | 35 | 17D | 67 | 25D | 99 |
| 2A | 4 | 10A | 36 | 18A | 68 | 26A | 100 |
| 2B | 5 | 10B | 37 | 18B | 69 | 26B | 101 |
| 2C | 6 | 10C | 38 | 18C | 70 | 26C | 102 |
| 2D | 7 | 10D | 39 | 18D | 71 | 26D | 103 |
| 3A | 8 | 11A | 40 | 19A | 72 | 27A | 104 |
| 3B | 9 | 11B | 41 | 19B | 73 | 27B | 105 |
| 3C | 10 | 11C | 42 | 19C | 74 | 27C | 106 |
| 3D | 11 | 11D | 43 | 19D | 75 | 27D | 107 |
| 4A | 12 | 12A | 44 | 20A | 76 | 28A | 108 |
| 4B | 13 | 12B | 45 | 20B | 77 | 28B | 109 |
| 4C | 14 | 12C | 46 | 20C | 78 | 28C | 110 |
| 4D | 15 | 12D | 47 | 20D | 79 | 28D | 111 |
| 5A | 16 | 13A | 48 | 21A | 80 | 29A | 112 |
| 5B | 17 | 13B | 49 | 21B | 81 | 29B | 113 |
| 5C | 18 | 13C | 50 | 21C | 82 | 29C | 114 |
| 5D | 19 | 13D | 51 | 21D | 83 | 29D | 115 |
| 6A | 20 | 14A | 52 | 22A | 84 | 30A | 116 |
| 6B | 21 | 14B | 53 | 22B | 85 | 30B | 117 |
| 6C | 22 | 14C | 54 | 22C | 86 | 30C | 118 |
| 6D | 23 | 14D | 55 | 22D | 87 | 30D | 119 |
| 7A | 24 | 15A | 56 | 23A | 88 | 31A | 120 |
| 7B | 25 | 15B | 57 | 23B | 89 | 31B | 121 |
| 7C | 26 | 15C | 58 | 23C | 90 | 31C | 122 |
| 7D | 27 | 15D | 59 | 23D | 91 | 31D | 123 |
| 8A | 28 | 16A | 60 | 24A | 92 | 32A | 124 |
| 8B | 29 | 16B | 61 | 24B | 93 | 32B | 125 |
| 8C | 30 | 16C | 62 | 24C | 94 | 32C | 126 |

| | | | | | | | |
|----|----|-----|----|-----|----|-----|-----|
| 8D | 31 | 16D | 63 | 24D | 95 | 32D | 127 |
|----|----|-----|----|-----|----|-----|-----|

APPENDIX C: PODxt MIDI CONTROLS

There is exhaustive documentation of MIDI controller assignments for all Line 6 products available at <http://line6.com/support/manuals/>. This online document is kept current, as updates can cause changes, and manuals can become outdated.

| Parameter | Notes | CC# | Min | Max | TX | RX |
|---------------------------------|---|-----|-----|-----|----|----|
| Tweak | | 1 | 0 | 127 | √ | √ |
| Wah Position | | 4 | 0 | 127 | √ | √ |
| Compressor Gain | | 5 | 0 | 127 | √ | √ |
| Volume Pedal | Realtime (not saved in Channel or Setup) | 7 | 0 | 127 | √ | √ |
| Compression Threshold | | 9 | 0 | 63 | √ | √ |
| Amp I Pan | 0=Full Left, 64=Center, 127=Full Right | 10 | 0 | 127 | | √ |
| Amp I Select w/ Amp defaults | Loads Amp with Amp Defaults. Range depends on device | 11 | 0 | - | √ | √ |
| Amp I Select w/out Amp defaults | Loads Amp Model without Amp Model Defaults. Range depends on device | 12 | 0 | - | | √ |
| Amp I Drive | | 13 | 0 | 127 | √ | √ |
| Amp I Bass | | 14 | 0 | 127 | √ | √ |
| Amp I Mid | | 15 | 0 | 127 | √ | √ |
| Amp I Treble | | 16 | 0 | 127 | √ | √ |
| Amp I Channel Volume | | 17 | 0 | 127 | √ | √ |
| Reverb Level | | 18 | 0 | 127 | √ | √ |
| Effect Setup | | 19 | 0 | 63 | √ | √ |
| EQ Freq I (low shelving) | Non-linear mapping | 20 | 0 | 127 | √ | √ |
| Amp I Presence | | 21 | 0 | 127 | √ | √ |
| Noise Gate Enable | 0~63=Off; 64~127=On | 22 | 0 | 127 | √ | √ |
| Gate Threshold | 0<>31=-96dB, 32=-96dB...127=0dB | 23 | 32 | 127 | √ | √ |
| Gate Decay Time | 0=.1msec; 127=3000msec | 24 | 0 | 127 | √ | √ |
| Stomp Enable | 0~63=Off; 64~127=On | 25 | 0 | 127 | √ | √ |
| Comp Enable | 0~63=Off; 64~127=On | 26 | 0 | 127 | √ | √ |

| Parameter | Notes | CC# | Min | Max | TX | RX |
|-------------------------------|---|-----|-----|-----|----|----|
| Delay Enable | 0~63=Off ; 64~127=On | 28 | 0 | 127 | √ | √ |
| Modulation Param 1 | | 29 | 0 | 127 | √ | √ |
| Delay Param 1 MSB | | 30 | 0 | 127 | √ | √ |
| Delay Param 1 Note value | See Appendix D 1 | 31 | 0 | 127 | √ | √ |
| Delay Param 2 | | 33 | 0 | 127 | √ | √ |
| Delay Mix | | 34 | 0 | 127 | √ | √ |
| Delay Param 3 | | 35 | 0 | 127 | √ | √ |
| Reverb Enable | 0~63=Off ; 64~127=On | 36 | 0 | 127 | √ | √ |
| Reverb Model | Range depends on device | 37 | 0 | - | √ | √ |
| Reverb Decay | | 38 | 0 | 127 | √ | √ |
| Reverb Tone | | 39 | 0 | 127 | √ | √ |
| Reverb Pre-Delay | | 40 | 0 | 127 | √ | √ |
| Reverb Pre/Post | 0~63 = Pre-Amp Model, 64~127 = Post-Amp Model | 41 | 0 | 127 | √ | √ |
| EQ Freq 2 (peaking) | Non-linear mapping | 42 | 0 | 127 | √ | √ |
| Wah Enable | 0~63=Off ; 64~127=On | 43 | 0 | 127 | √ | √ |
| Volume Pedal Minimum | | 46 | 0 | 127 | √ | √ |
| Volume Pre/Post | 0~63 = Pre-Amp Model, 64~127 = Post-Amp Model | 47 | 0 | 127 | √ | √ |
| Mod Enable | 0~63=Off ; 64~127=On | 50 | 0 | 127 | √ | √ |
| Modulation Param 1 Note value | See Appendix D | 51 | 0 | 13 | √ | √ |
| Mod Param 2 | | 52 | 0 | 127 | √ | √ |
| Mod Param 3 | | 53 | 0 | 127 | √ | √ |
| Mod Param 4 | | 54 | 0 | 127 | √ | √ |
| Mod Mix | | 56 | 0 | 127 | √ | √ |
| Mod Pre/Post | 0~63 = Pre-Amp Model, 64~127 = Post-Amp Model | 57 | 0 | 127 | √ | √ |
| Mod Model | | 58 | 0 | - | √ | √ |
| EQ Freq 3 (peaking) | Non-linear mapping | 60 | 0 | 127 | √ | √ |
| Mod Param 1 LSB | | 61 | 0 | 127 | √ | √ |
| Delay Param 1 LSB | | 62 | 0 | 127 | √ | √ |

| Parameter | Notes | CC# | Min | Max | TX | RX |
|-----------------------------|--|-----|-----|-----|------|------|
| EQ Enable | 0~63=Off ; 64~127 | 63 | 0 | 127 | √ | √ |
| Tap Tempo | 64-127 = a Tap | 64 | 0 | 127 | √ | √ |
| Pedal Assign | 0~41 = Wah/Off - Volume; 42~85 = Tweak-Vol-ume; 86~127 = Wah/Vol - Tweak | 65 | 0 | 127 | √ | √ |
| Tuner Enable | 0~63=Off ; 64~127=On | 69 | 0 | 127 | √ | √ |
| Mic Model Select | Range depends on device | 70 | 0 | - | √ | √ |
| Amp 1 Cabinet Type | Range depends on device | 71 | 0 | - | √ | √ |
| Stomp Model | Range depends on device | 75 | 0 | - | √ | √ |
| Room Level | | 76 | 0 | 127 | √ | √ |
| EQ Freq 4 (high shelving) | Non-linear mapping | 77 | 0 | 127 | √ | √ |
| Stomp Param 2 | | 79 | 0 | 127 | √ | √ |
| Stomp Param 3 | | 80 | 0 | 127 | √ | √ |
| Stomp Param 4 | | 81 | 0 | 127 | √ | √ |
| Stomp Param 5 | | 82 | 0 | 127 | √ | √ |
| Stomp Param 6 | | 83 | 0 | 127 | √ | √ |
| Amp Switch Select | 0~63=Amp switch will turn Amp on/off ; 64~127=Amp switch will turn Comp on/off | 84 | 0 | 127 | Live | Live |
| Delay Param 4 | | 85 | 0 | 127 | √ | √ |
| Delay Pre/Post | 0~63 = Pre-Amp Model, 64~127 = Post-Amp Model | 87 | 0 | 127 | √ | √ |
| Delay Model | Range depends on device | 88 | 0 | - | √ | √ |
| Tempo MSB | | 89 | 0 | 127 | √ | √ |
| Tempo LSB | | 90 | 0 | 127 | √ | √ |
| Amp Bypass Channel/Volume | | 105 | 0 | 127 | √ | √ |
| FX Loop | 0~63=Off ; 64~127=On | 107 | 0 | 127 | Pro | Pro |
| Tweak Parameter Destination | | 108 | 0 | 13 | √ | √ |
| Amp 1 Engage | 0~63=Off ; 64~127=On | 111 | 0 | 127 | √ | √ |
| EQ Gain 1 (low shelving) | | 114 | 0 | 127 | √ | √ |
| EQ Gain 2 (peaking) | | 116 | 0 | 127 | √ | √ |
| EQ Gain 3 (peaking) | | 117 | 0 | 127 | √ | √ |
| EQ Gain 4 (high shelving) | | 119 | 0 | 127 | √ | √ |

APPENDIX D: NOTE VALUE CONTROLLER VALUES

| | | | |
|---|----------------------|----|------------------------|
| 1 | Whole Note | 8 | Dotted Eighth Note |
| 2 | Dotted Half Note | 9 | Eighth Note |
| 3 | Half Note | 10 | Eighth Note Triplet |
| 4 | Half Note Triplet | 11 | Dotted Sixteenth Note |
| 5 | Dotted Quarter Note | 12 | Sixteenth Note |
| 6 | Quarter Note | 13 | Sixteenth Note Triplet |
| 7 | Quarter Note Triplet | | |

APPENDIX E: FBV SERIES MIDI CONTROLS

| PODxt Parameter | FBV Control | MIDI Controller # | Transmitted MIDI Range |
|--|--|-------------------|--|
| Stomp On/Off | FBV “Stomp 1” switch FBV Shortboard “Stomp” switch | 25 | 0~63=Off 64~127=On |
| Modulation On/Off | “Modulation” switch | 50 | 0~63=Off 64~127=On |
| Delay On/Off | “Delay” switch | 28 | 0~63=Off 64~127=On |
| Reverb On/Off | “Reverb” switch | 36 | 0~63=Off 64~127=On |
| Tap (momentary) | “Tap” switch | 64 | 0~63=Off 64~127=On |
| Wah | Left pedal on FBV Shared pedal on FBV Shortboard | 4 | 0-127 |
| Volume | Right pedal on FBV Shared pedal on FBV Shortboard | 7 | 0-127 |
| Tweak | Volume pedal can be assigned via PODxt Edit pages to operate Tweak parameter | 1 | 0-127 |
| Comp On/Off | FBV “Stomp Box 2” switch FBV Shortboard “FX Loop” switch controls this parameter when connected to PODxt; this parameter cannot be controlled from a Shortboard connected to PODxt Pro | 26 | 0~63=Off 64~127=On |
| Gate On, Off | FBV “Stomp 3” switch (not available on Shortboard) | 22 | 0~63=Off 64~127=On |
| Do not control PODxt parameters; can be used for control of other connected MIDI devices | FBV “Amp 1” switch FBV “Amp 2” switch FBV “Pitch/Tremolo” switch | 111 112 113 | 0~63=Off 64~127=On 0~63=Off 64~127=On 0~63=Off 64~127=On |
| FX Loop On/Off (PODxt Pro only) | “FX Loop” switch | 107 | 0~63=Off 64~127=On |