



## WaveLab 7.1, WaveLab Elements 7.1, WaveLab LE 7.1 – fixed issues

- Please note that the following issues have been fixed in the 7.1 update.

Issue	Version	Area
<p><b>Time Ruler Style</b></p> <p>If "transparency" is activated for the time ruler in the Audio Edit window, for the "Two Level" style the upper part of the ruler was not transparent and not properly redrawn.</p>	All Versions	Audio Editing
<p><b>Time Ruler of overview</b></p> <p>Time Ruler of overview: the menu function "save as default" did not work properly.</p>	All Versions	Audio Editing
<p><b>Time ruler settings</b></p> <p>The default "ticks per quarter note" value has been set to 480 to match Cubase's default.</p>	All Versions	Audio Editing
<p><b>Wave file meta-data</b></p> <p>WAV file tags: when the date fields were created, it was not possible to remove them later (by disabling the check box).</p>	All Versions	Audio Editing
<p><b>Double-clicking in a wave, exactly on the edit cursor</b></p> <p>This was preventing the region to be selected.</p>	All Versions	Audio Editing
<p><b>Markers import</b></p> <p>WaveLab was not always importing markers included in wave files (BWF/WAV) saved with certain external software.</p>	All Versions	Audio Editing
<p><b>Audio File editor / Time ruler of the overview</b></p> <p>Clicking on the time ruler of the overview now scrolls the main view as required making the cursor visible (as in WaveLab 6). Please note: since version 7.1 a new range indicator can be used in the time ruler by clicking inside the ruler. You need to press Control in order to set the cursor. The priority is to drag and slide the indicator.</p>	All Versions	Audio Editing
<p><b>Key shortcut change for "Move cursor to start/end of selection"</b></p> <p>The key shortcut for "Move cursor to start/end of selection" has been changed to be compatible with more keyboards. The alternate hardwired shortcut "Ctrl/Command + Numeric key pad 1 or 2" is still active.</p>	All Versions	Audio Editing
<p><b>Audio file, marker list.</b></p> <p>After changing the position of a CD marker from the list window, a crash could happen.</p>	All Versions	Audio Editing

Issue	Version	Area
<p><b>Montage: zoom with up arrow key stops at 8x</b></p> <p>When zooming-in with the keyboard or mouse wheel, zooming could stop near the ratio 1:8.</p>	All Versions	Audio Montage
<p><b>"Invert phase" for a clip</b></p> <p>The option "Invert phase" for a clip caused the clip waveform to be wrongly displayed when zooming out.</p>	All Versions	Audio Montage
<p><b>Last Montage clip with tail</b></p> <p>When the last Plug-in of the montage contains effects with tails, this tail was ignored unless the end of the montage was set further, using a marker.</p>	All Versions	Audio Montage
<p><b>Moving a XFade</b></p> <p>When moving a XFade with click + control + drag and if the clip at the right side of the XFade (Fade-in) also had a XFade at its right end (Fade-out), this last part was also modified.</p>	All Versions	Audio Montage
<p><b>CD Wizard</b></p> <p>If the option "Quantize CD markers to nearest CD frame" is set to "Off", some markers could still be quantized. This could cause a malfunction of the function "Adjust pauses before tracks" to set exact null pauses (the start of the clip being quantized as the CD track start marker).</p>	All Versions	Audio Montage
<p><b>Sample rate mismatch in montage</b></p> <p>If an audio file was part of a montage and had a different sample rate than the sample rate of the Montage, it was not possible to replace it with another file with the correct sample rate.</p>	All Versions	Audio Montage
<p><b>Audio Montage zooming</b></p> <p>Using a keyboard Zoom command after loading a Montage, could cause an initial abrupt change.</p>	All Versions	Audio Montage
<p><b>Restart on loop/selection change</b></p> <p>This option is now included in the menu Audio Montage Workspace &gt; Options. This option is independent for Audio File and Montage workspaces.</p>	All Versions	Audio Montage
<p><b>Montage Meta Normalizer</b></p> <p>The "Equalize Clip Volume" setting was not persistent when reopening the dialog.</p>	All Versions	Audio Montage
<p><b>Audio Montage, CD Tool Window</b></p> <p>Audio Montage, CD Tool Window The following two options did not take effect immediately: "Show times relative to track #1", "Show times relatively to CD's absolute zero").</p>	All Versions	Audio Montage
<p><b>Importing Cue-Sheet and DDP</b></p> <p>The 20th and 40th tracks could be shifted or skipped.</p>	All Versions	Audio Montage

Issue	Version	Area
<p><b>Audio Montage: Lock fade times when adjusting clip edges</b> This option was Off when displayed On, and inversely.</p>	All Versions	Audio Montage
<p><b>Burning a clip-less Audio Montage could cause a crash.</b> Burning a clip-less Audio Montage could cause a crash.</p>	All Versions	Audio Montage
<p><b>Audio Montage: Render dialog</b> The option "Create CD image and cue-sheet" can now only be activated if "Create named file" is activated.</p>	All Versions	Audio Montage
<p><b>"Render to temporary file before burning"</b> The CD burning option "Render to temporary file before burning" did not work.</p>	WaveLab Elements only	Audio Montage
<p><b>Auto save Master Section preset</b> When the mode "Auto save Master Section preset" is active, WaveLab was also saving the active Master Section preset inside the Montage, when simply closing the montage. Now, it is only saved when saving the Audio Montage explicitly.</p>	WaveLab Pro only	Audio Montage
<p><b>CD-Rom and DVD-ROM (read only device)</b> The entries were not available in the CD-Import dialog.</p>	All Versions	CD burning
<p><b>Data CD/DVD</b> If the CD/DVD volume name contained one of the following characters \ " % &amp; ' * , . / : ; &lt; &gt; ?  , the CD/DVD failed to be created. Now, if such a character is found, it is replaced with this character: _ For DVD-Audio. The same problem would occur if the album name contained any of such characters.</p>	All Versions	CD burning
<p><b>CD Text Editor</b> The edit field focus was lost when jumping to the next track with a mouse click on the scroll bar.</p>	All Versions	CD grabbing
<p><b>Audio File Format was not persistent</b> Occasionally the audio file format was not recalled when opening the CD grabber window, or the Audio Batch File Conversion tool.</p>	All Versions	CD grabbing
<p><b>Shortcut dialog</b> When the focus was set in a keyboard shortcut field, if a MIDI event occurred, a wrong text appeared in the edit field.</p>	All Versions	Controllers
<p><b>Presets relative to Master Project</b> If the option was activated, the Master Section preset path was not modified when opening a new Master Project. Also, saving a Master Section preset could save it in the wrong path.</p>	All Versions	Master Project
<p><b>Master Project</b> When opening a Master Project and the Text Tab was active, the text was not displayed until switched back and forth.</p>	All Versions	Master Project

Issue	Version	Area
<p><b>Presets relative to Master Project</b></p> <p>If the option: "Presets are relative to Master Project" was activated in the Preset menu of the Master Section, it has caused WaveLab to crash when quitting (Mac) or settings have been saved (Windows).</p>	All Versions	Master Section
<p><b>Master Section</b></p> <p>When the Master Section window is floating, it could move/resize itself when switching between mono/stereo playback. This feature is now only enabled when switching playback between mono/stereo and more channels.</p>	All Versions	Master Section
<p><b>Performance issue</b></p> <p>CPU resources were consumed when certain (rare) VST plug-in windows were opened.</p>	All Versions	Master Section
<p><b>Post-master slot</b></p> <p>Rendering did not work if a plug-in other than "internal dither" was inserted in the post-master slot.</p>	WaveLab Elements only	Master Section
<p><b>Playback vari-speed</b></p> <p>When playback vari-speed was activated, the very end of a file was not played.</p>	All Versions	Playback
<p><b>Cursor jumping to its start position after stopping playback</b></p> <p>When stopping playback, the cursor could occasionally jump to its start position, rather than remaining where it is.</p>	All Versions	Playback
<p><b>Play from Start marker</b></p> <p>This option was present in a WaveLab Elements 7 menu (inapplicable).</p>	WaveLab Elements only	Playback
<p><b>Generic plug-ins with a single parameter</b></p> <p>Generic plug-ins with a single parameter have shown a wrong color inside a certain window.</p>	All Versions	Plug-in
<p><b>Option "Faster graphics refreshing" (VST settings dialog)</b></p> <p>This option is "on by default", but after setting to "off", it could cause some instability in the program (after unloading VST plug-in with a user interface).</p>	All Versions	Plug-in
<p><b>Recording</b></p> <p>After recording was started, it was still possible to change some settings that can only be changed before recording (Options/Value tab).</p>	All Versions	Recording
<p><b>Free space on media was partly incorrect</b></p> <p>When changing the path of the file to record, the free space indicator was not always updated accordingly, especially on the Mac.</p>	All Versions	Recording
<p><b>MP3 Tags display</b></p> <p>MP3 Tags: character encoding is now UTF-8 (Unicode) to support all languages. Though there is no standard, this is the most universal solution.</p>	All Versions	Rendering & Import

Issue	Version	Area
<p><b>MP3 Tags display</b> MP3 Tags in the Meta data window: "Artist" was displayed instead of "Album".</p>	All Versions	Rendering & Import
<p><b>Meta data / Save as</b> Meta data: when using the "Save as" function for an audio file and changing its meta-data in the same time, the meta data in the meta data window were not updated.</p>	All Versions	Rendering & Import
<p><b>Bypass Master Section on resulting Audio File</b> When rendering a Montage this option was always executed, even if set to Off.</p>	All Versions	Rendering & Import
<p><b>About file format that can't be written</b> When trying to save a file in a format that can't be written by WaveLab (e.g. AAC can only be imported), a standard audio format is proposed in the Save box, rather than displaying the name of the format that can't be written.</p>	All Versions	Rendering & Import
<p><b>Improved reliability for the External Gear plug-in</b></p>	WaveLab Pro only	Rendering & Import
<p><b>Scripting was broken under Windows.</b> Scripting was broken on the Windows platform.</p>	Windows only	Scripting
<p><b>Audio File editing: Optimize vertical zoom</b> Audio File editing: after using the function to optimize the waveform vertical zoom, increasing or decreasing this zoom value later could lead to errors.</p>	All Versions	User Interface
<p><b>Focus after File Selector</b> When the File Selector box was open (e.g. Save as) then closed, the focused window was not restored until clicked again. Some key shortcuts would not work until then.</p>	All Versions	User Interface
<p><b>Audio file opening</b> Opening 2 mono files by drag and drop on the WaveLab icon did not open them as a dual-mono file.</p>	All Versions	User Interface
<p><b>Japanese language font menu</b> Japanese language only: font menu could display wrong characters.</p>	All Versions	User Interface
<p><b>Workspace layout</b> During the application of the process "Save Workspace layout" double-clicking in the list on an existing preset (to save it) causes the dialog to close without overwriting the preset.</p>	All Versions	User Interface
<p><b>Saving a Workspace layout preset</b> After saving a preset for a layout or for an external tool, the File and Global menu loose some of their entries.</p>	All Versions	User Interface

Issue	Version	Area
<p><b>Audio File Brower (Tool Window)</b> Audio File Brower (Tool Window): Some settings were not properly restored.</p>	All Versions	User Interface
<p><b>Switcher clicks with Ctrl / Shift</b> When clicking the switcher buttons with Ctrl/Cmd or Shift (shortcuts to New / Open), the Switcher menu could also be displayed in the same action.</p>	All Versions	User Interface
<p><b>Customize command dialog</b> When specifying "show in command bar" for a Workspace custom preset, WaveLab crashes.</p>	All Versions	User Interface
<p><b>Workspace restoration</b> When restoring a workspace, a floating window could display a white content.</p>	All Versions	User Interface
<p><b>Editing of time code with sub-frames</b> Editing of time code with 1/100th of frames or 1/4 frames, did not allow the sub-frames to be changed.</p>	All Versions	User Interface
<p><b>Master Section Plug-in menu</b> When using two screens of different sizes, this menu could be displayed with an unused blank space sometimes.</p>	All Versions	User Interface
<p><b>Background Task window and Time code window</b> The Background Task window and the Time code window displayed an unnecessary gray band at the bottom.</p>	All Versions	User Interface
<p><b>Windows 7 only: Context menus with icons and a vertical title bar had a small graphical error</b> Windows 7 only: Context menus with icons and a vertical title bar had a small graphical error.</p>	All Versions	User Interface
<p><b>External Tool</b> Renaming an existing External Tool was not reflected in the Tools menu until WaveLab was relaunched.</p>	All Versions	User Interface
<p><b>Numeric value in dialog not saved sometimes</b> When typing a value in a dialog and closing the dialog very quickly (or pressing "Apply"), the changed value could be ignored.</p>	All Versions	User Interface
<p><b>Saving picture of active window</b> The picture file type (e.g. jpg), was not remembered from call to call.</p>	All Versions	User Interface
<p><b>External Tools</b> Removing a tool from the list, could cause the tool below in the list to be overwritten.</p>	All Versions	User Interface

Issue	Version	Area
<p><b>Dropping files on a non-active tab group</b></p> <p>When dropping files on a tab group which is not the active tab group, the files were added in the active tab group.</p>	All Versions	User Interface
<p><b>Putting a Workspace Layout preset inside a Command Bar could crash WaveLab</b></p> <p>Putting a Workspace Layout preset inside a Command Bar could crash WaveLab.</p>	All Versions	User Interface
<p><b>Edit field with bars</b></p> <p>It was not possible to modify a time edit field when the unit was "Bars and beats". This would happen e.g. when the Time Ruler unit was set to Bars and beats, as many Time Edit fields inherit the unit set in the Time Ruler.</p>	All Versions	User Interface
<p><b>Control Window: menu disappearing</b></p> <p>Mac only: certain actions such as applying a layout or closing a tab, could cause the menu bar to disappear until WaveLab was relaunched.</p>	All Versions	User Interface
<p><b>Improved hiding of floating windows when switching to another application</b></p> <p>When a central progress bar was displayed and when switching to another application, floating windows were not always hidden (unless explicitly set to stay visible, as this is possible with some of them). The progress box now is hidden too.</p>	All Versions	User Interface